



Plant Atlas 2020

...of Toby Austin's need list


This book will hopefully shrink rather than grow: It only includes those pages needed by myself. A page is removed every time a (flowering) taxon is seen!

Variegated Horsetail

Equisetum variegatum

Native	GB	IR
2000–19	118	122
1987–99	107	89
1970–86	91	26
1930–69	94	43
pre-1930	76	28

Alien	GB	IR
2000–19	0	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: July to August

Shady Horsetail

Equisetum pratense

Native	GB	IR
2000–19	126	24
1987–99	91	18
1970–86	81	16
1930–69	77	12
pre-1930	52	17




In flower: April

Stag's-horn Clubmoss

Lycopodium clavatum

Native	GB	IR
2000–19	673	21
1987–99	526	17
1970–86	495	11
1930–69	529	31
pre-1930	308	55

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	2	0
1930–69	0	0
pre-1930	1	0




In flower: June to September

Interrupted Clubmoss

Lycopodium annotinum

Native	GB	IR
2000–19	148	0
1987–99	91	0
1970–86	75	0
1930–69	90	0
pre-1930	63	0




In flower: June to August

Marsh Clubmoss

Lycopodiella inundata

Native	GB	IR
2000–19	70	7
1987–99	66	5
1970–86	66	11
1930–69	82	6
pre-1930	196	10

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	3	0
1930–69	2	0
pre-1930	3	0




In flower: June to September

Alpine Clubmoss

Diphasiastrum alpinum

Native	GB	IR
2000–19	458	25
1987–99	376	17
1970–86	245	17
1930–69	363	20
pre-1930	149	37




In flower: June to August

Lesser Clubmoss

Selaginella selaginoides

Native	GB	IR
2000–19	876	204
1987–99	792	199
1970–86	485	66
1930–69	754	138
pre-1930	202	87




In flower: June to August

Quillwort

Isoetes lacustris

Native	GB	IR
2000–19	303	124
1987–99	405	84
1970–86	221	43
1930–69	237	56
pre-1930	156	56




In flower: May to July

Spring Quillwort

Isoetes echinospora

Native	GB	IR
2000–19	104	32
1987–99	113	10
1970–86	60	10
1930–69	71	7
pre-1930	58	18




In flower: April to July

Land Quillwort

Isoetes histrix


Native	GB IR
2000–19	7 0
1987–99	8 0
1970–86	8 0
1930–69	6 0
pre-1930	7 0



In flower: April to May

Small Adder's-tongue

Ophioglossum azoricum




In flower: April to August

Moonwort

Botrychium lunaria

Native	GB	IR
2000–19	543	27
1987–99	561	34
1970–86	452	23
1930–69	574	36
pre-1930	436	102




In flower: June to August

Pillwort

Pilularia globulifera

Native	GB	IR
2000–19	93	14
1987–99	99	9
1970–86	86	12
1930–69	96	10
pre-1930	237	13

Alien	GB	IR
2000–19	5	0
1987–99	2	0
1970–86	4	0
1930–69	5	0
pre-1930	4	0




In flower: June to September

Jersey Fern

Anogramma leptophylla

Native	GB IR
2000–19	5 0
1987–99	3 0
1970–86	2 0
1930–69	2 0
pre-1930	1 0




In flower: March to May

Killarney Fern (gametophyte)

Trichomanes speciosum

Native	GB	IR
2000–19	46	31
1987–99	159	10
1970–86	3	0
1930–69	0	0
pre-1930	4	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Killarney Fern (sporophyte)

Trichomanes speciosum

Native	GB	IR
2000–19	17	24
1987–99	13	19
1970–86	5	10
1930–69	5	20
pre-1930	12	32

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Tunbridge Filmy-fern

Hymenophyllum tunbrigense w

Native	GB	IR
2000–19	129	89
1987–99	141	52
1970–86	89	15
1930–69	138	58
pre-1930	85	51

Alien	GB	IR
2000–19	0	1
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	1




In flower: June to July

Wilson's Filmy-fern

Hymenophyllum wilsonii

Native	GB	IR
2000–19	437	145
1987–99	417	102
1970–86	272	44
1930–69	428	101
pre-1930	139	81

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: June to July

Beech Fern

Phegopteris connectilis

Native	GB	IR
2000–19	853	45
1987–99	797	42
1970–86	572	16
1930–69	729	24
pre-1930	236	55

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: July to September

Green Spleenwort

Asplenium viride

Native	GB	IR
2000–19	316	31
1987–99	318	27
1970–86	256	9
1930–69	302	16
pre-1930	106	24

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to September

Forked Spleenwort

Asplenium septentrionale

Native	GB IR
2000–19	35 1
1987–99	29 2
1970–86	25 2
1930–69	30 2
pre-1930	44 0

Alien	GB IR
2000–19	0 0
1987–99	0 0
1970–86	0 0
1930–69	0 0
pre-1930	0 1




In flower: June to January

Irish Spleenwort

Asplenium onopteris

Native	GB	IR
2000–19	●	0 10
1987–99	●	0 6
1970–86	●	0 6
1930–69	●	0 5
pre-1930	○	0 26

Alien	GB	IR
2000–19	●	0 0
1987–99	●	1 0
1970–86	●	0 0
1930–69	●	0 0
pre-1930	○	0 0




In flower: June to January

Alpine Lady-fern

Athyrium distentifolium

Native	GB IR
2000–19	70 0
1987–99	69 0
1970–86	58 0
1930–69	49 0
pre-1930	34 0




In flower: July to August

Oak Fern

Gymnocarpium dryopteris

Native	GB	IR
2000–19	693	0
1987–99	670	0
1970–86	522	2
1930–69	604	3
pre-1930	268	7

Alien	GB	IR
2000–19	3	0
1987–99	1	0
1970–86	3	0
1930–69	2	0
pre-1930	2	1




In flower: July to August

Limestone Fern

Gymnocarpium robertianum

Native	GB IR
2000–19	61 2
1987–99	60 2
1970–86	68 0
1930–69	65 2
pre-1930	58 0

Alien	GB IR
2000–19	8 1
1987–99	6 1
1970–86	11 0
1930–69	11 0
pre-1930	9 1




In flower: July to August

Diaphanous Bladder-fern

Cystopteris diaphana

Native	GB IR
2000–19	5 1
1987–99	1 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0

Alien	GB IR
2000–19	3 0
1987–99	0 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: July to August

Dickie's Bladder-fern

Cystopteris dickieana

Native	GB IR
2000–19	10 0
1987–99	5 0
1970–86	1 0
1930–69	1 0
pre-1930	3 0




In flower: July to August

Mountain Bladder-fern

Cystopteris montana

Native	GB IR
2000–19	14 0
1987–99	13 0
1970–86	14 0
1930–69	14 0
pre-1930	15 0




In flower: July to August

Alpine Woodsia

Woodsia alpina

Native	GB IR
2000–19	13 0
1987–99	14 0
1970–86	16 0
1930–69	11 0
pre-1930	12 0




In flower: July to August

Oblong Woodsia

Woodsia ilvensis

Native	GB IR
2000–19	7 0
1987–99	8 0
1970–86	6 0
1930–69	6 0
pre-1930	10 0




In flower: July to August

Hay-scented Buckler-fern

Dryopteris aemula

Native	GB	IR
2000–19	420	392
1987–99	330	289
1970–86	182	63
1930–69	263	160
pre-1930	128	127

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: July to September

Crested Buckler-fern

Dryopteris cristata

Native	GB	IR
2000–19	6	0
1987–99	6	0
1970–86	11	0
1930–69	16	0
pre-1930	25	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: July to August

Holly-fern

Polystichum lonchitis

Native	GB	IR
2000–19	123	14
1987–99	116	16
1970–86	97	12
1930–69	138	11
pre-1930	78	15

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	4	0
1930–69	1	0
pre-1930	2	0




In flower: June to August

Least Water-lily

Nuphar pumila

Native	GB	IR
2000–19	31	0
1987–99	51	0
1970–86	30	0
1930–69	26	0
pre-1930	33	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: June to August

Globeflower

Trollius europaeus

Native	GB	IR
2000–19	587	7
1987–99	572	7
1970–86	474	4
1930–69	617	4
pre-1930	243	7

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	2	0
1930–69	1	0
pre-1930	3	0




In flower: June to August

Baneberry

Actaea spicata

Native	GB IR
2000–19	14 0
1987–99	22 0
1970–86	24 0
1930–69	27 0
pre-1930	26 0

Alien	GB IR
2000–19	2 0
1987–99	2 0
1970–86	3 0
1930–69	4 0
pre-1930	10 0




In flower: May to June

Rough-fruited Buttercup

Ranunculus muricatus

Alien	GB IR
2000–19	6 0
1987–99	5 0
1970–86	5 0
1930–69	9 1
pre-1930	10 0




In flower: March to June

St Martin's Buttercup

Ranunculus marginatus

Alien	GB IR
2000–19	6 0
1987–99	4 0
1970–86	2 0
1930–69	3 0
pre-1930	2 0




In flower: June to July

Jersey Buttercup

Ranunculus paludosus

Native	GB IR
2000–19	1 0
1987–99	4 0
1970–86	0 0
1930–69	2 0
pre-1930	2 0




In flower: May to June

Creeping Spearwort

Ranunculus reptans

Native	GB IR
2000–19	3 0
1987–99	4 0
1970–86	11 0
1930–69	1 0
pre-1930	7 0




In flower: June to August

Adder's-tongue Spearwort

Ranunculus ophioglossifolius

Native	GB IR
2000–19	2 0
1987–99	2 0
1970–86	2 0
1930–69	2 0
pre-1930	5 0

Alien	GB IR
2000–19	0 0
1987–99	1 0
1970–86	1 0
1930–69	0 0
pre-1930	0 0




In flower: May to July

Alpine Meadow-rue

Thalictrum alpinum

Native	GB	IR
2000–19	351	11
1987–99	306	11
1970–86	206	7
1930–69	308	5
pre-1930	67	12

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

Martin's Ramping-fumitory

Fumaria reuteri

Alien	GB IR
2000–19	21 0
1987–99	4 0
1970–86	6 0
1930–69	14 0
pre-1930	8 0




In flower: May to October

Dwarf Birch

Betula nana

Native	GB	IR
2000–19	93	0
1987–99	75	0
1970–86	82	0
1930–69	70	0
pre-1930	47	0

Alien	GB	IR
2000–19	5	0
1987–99	1	0
1970–86	2	0
1930–69	2	0
pre-1930	0	0




In flower: May

Oak-leaved Goosefoot

Oxybasis glauca

Alien	GB	IR
2000–19	97	3
1987–99	38	3
1970–86	31	0
1930–69	75	0
pre-1930	75	0




In flower: July to September

Maple-leaved Goosefoot

Chenopodiastrum hybridum

Alien	GB	IR
2000–19	212	1
1987–99	129	0
1970–86	124	0
1930–69	130	0
pre-1930	129	0




In flower: August to October

Upright Goosefoot

Oxybasis urbica

Alien	GB	IR
2000–19	24	0
1987–99	11	0
1970–86	10	0
1930–69	68	0
pre-1930	202	1




In flower: August to September

Grey Goosefoot

Chenopodium opulifolium

Alien	GB IR
2000–19	6 0
1987–99	7 0
1970–86	10 0
1930–69	50 0
pre-1930	67 0




In flower: August to October

Long-stalked Orache

Atriplex longipes

Native	GB	IR
2000–19	30	13
1987–99	29	1
1970–86	27	0
1930–69	4	0
pre-1930	3	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	2	0
1930–69	1	0
pre-1930	0	0




In flower: July to August

Early Orache

Atriplex praecox

Native	GB IR
2000–19	70 6
1987–99	31 0
1970–86	34 0
1930–69	5 0
pre-1930	6 0




In flower: June to July

Shrubby Orache

Atriplex halimus

Alien	GB IR
2000–19	49 0
1987–99	32 0
1970–86	9 0
1930–69	12 0
pre-1930	17 0






In flower: July to October

Blinks

Montia fontana

Native	GB	IR
2000–19	2036	540
1987–99	1891	433
1970–86	1127	68
1930–69	1644	271
pre-1930	594	85

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	2	0
1930–69	1	0
pre-1930	1	0




In flower: May to October

English Sandwort

Arenaria norvegica subsp. *anglica*

Native	GB IR
2000–19	2 0
1987–99	2 0
1970–86	2 0
1930–69	2 0
pre-1930	2 0




In flower: June to July

Arctic Sandwort

Arenaria norvegica subsp. *norvegica*

Native	GB	IR
2000–19	●	10 1
1987–99	●	10 0
1970–86	●	11 0
1930–69	●	8 0
pre-1930	○	2 0




In flower: June to July

Fringed Sandwort

Arenaria ciliata

Native	GB IR
2000–19	0 2
1987–99	0 1
1970–86	0 1
1930–69	0 2
pre-1930	0 2




In flower: June to July

Recurved Sandwort

Minuartia recurva

Native	GB IR
2000–19	0 2
1987–99	0 1
1970–86	0 1
1930–69	0 1
pre-1930	0 0




In flower: June to August

Mountain Sandwort

Sabulina rubella

Native	GB IR
2000–19	5 0
1987–99	5 0
1970–86	3 0
1930–69	5 0
pre-1930	6 0




In flower: June to August

Teesdale Sandwort

Sabulina stricta

Native	GB IR
2000–19	1 0
1987–99	1 0
1970–86	1 0
1930–69	1 0
pre-1930	0




In flower: June to July

Cyphel

Cherleria sedoides

Native	GB	IR
2000–19	46	0
1987–99	45	0
1970–86	33	0
1930–69	59	0
pre-1930	32	0




In flower: June to August

Wood Stitchwort

Stellaria nemorum

Native	GB	IR
2000–19	334	0
1987–99	326	0
1970–86	229	0
1930–69	266	0
pre-1930	139	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to June

Greater Chickweed

Stellaria neglecta

Native	GB	IR
2000–19	579	2
1987–99	562	0
1970–86	418	1
1930–69	455	0
pre-1930	154	3

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: April to July

Starwort Mouse-ear

Cerastium cerastoides

Native	GB	IR
2000–19	21	0
1987–99	16	0
1970–86	18	0
1930–69	20	0
pre-1930	16	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: July to August

Alpine Mouse-ear

Cerastium alpinum

Native	GB IR
2000–19	41 0
1987–99	47 0
1970–86	34 0
1930–69	68 0
pre-1930	45 0




In flower: June to August

Arctic Mouse-ear

Cerastium nigrescens

Native	GB	IR
2000–19	32	0
1987–99	31	0
1970–86	22	0
1930–69	35	0
pre-1930	21	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to August

Upright Chickweed

Moenchia erecta

Native	GB	IR
2000–19	● 196	0
1987–99	● 201	0
1970–86	● 150	0
1930–69	● 206	0
pre-1930	○ 271	0

Alien	GB	IR
2000–19	● 0	0
1987–99	● 2	0
1970–86	● 1	0
1930–69	● 0	0
pre-1930	○ 3	0




In flower: May to June

Snow Pearlwort

Sagina nivalis

Native	GB IR
2000–19	3 0
1987–99	2 0
1970–86	4 0
1930–69	3 0
pre-1930	3 0




In flower: June to August

Heath Pearlwort

Sagina subulata

Native	GB	IR
2000–19	498	40
1987–99	416	14
1970–86	209	27
1930–69	400	11
pre-1930	212	24

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower: June to August

Alpine Pearlwort

Sagina saginoides

Native	GB	IR
2000–19	24	0
1987–99	21	0
1970–86	25	0
1930–69	34	0
pre-1930	32	0




In flower: June to August

Perennial Knawel

Scleranthus perennis subsp. *perennis*

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




In flower: June to August

Strapwort

Corrigiola litoralis

Native	GB IR
2000–19	1 0
1987–99	1 0
1970–86	1 0
1930–69	1 0
pre-1930	2 0

Alien	GB IR
2000–19	2 0
1987–99	4 0
1970–86	9 0
1930–69	14 0
pre-1930	15 0





In flower: July to August

Fringed Rupturewort

Herniaria ciliolata

Native	GB	IR
2000–19	6	0
1987–99	4	0
1970–86	6	0
1930–69	8	0
pre-1930	9	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to August

Greek Sea-spurrey

Spergularia bocconeii

Alien	GB	IR
2000–19	38	2
1987–99	14	0
1970–86	9	0
1930–69	13	0
pre-1930	15	0




In flower: May to September

Sticky Catchfly

Silene viscaria

Native	GB IR
2000–19	15 0
1987–99	16 0
1970–86	15 0
1930–69	16 0
pre-1930	24 0

Alien	GB IR
2000–19	5 0
1987–99	6 0
1970–86	0 0
1930–69	3 0
pre-1930	4 0




In flower: June to August

Alpine Catchfly

Silene suecica

Native	GB	IR
2000–19	●	2 0
1987–99	●	2 0
1970–86	●	2 0
1930–69	●	2 0
pre-1930	○	2 0

Alien	GB	IR
2000–19	●	0 0
1987–99	●	1 0
1970–86	●	0 0
1930–69	●	1 0
pre-1930	○	0 0




In flower: June to July

Berry Catchfly

Silene baccifera

Alien	GB IR
2000–19	2 0
1987–99	4 0
1970–86	4 0
1930–69	6 0
pre-1930	6 0




In flower: May to September

Moss Campion

Silene acaulis

Native	GB	IR
2000–19	170	9
1987–99	180	5
1970–86	105	6
1930–69	186	2
pre-1930	44	7

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to July

Small-flowered Catchfly

Silene gallica

Alien	GB	IR
2000–19	● 114	6
1987–99	● 102	8
1970–86	● 116	1
1930–69	● 318	12
pre-1930	● 370	18




In flower: June to October

Pink

Dianthus plumarius

Alien	GB	IR
2000–19	● 14	0
1987–99	● 16	0
1970–86	● 19	0
1930–69	● 18	1
pre-1930	● 20	1




In flower: June to August

Jersey Pink

Dianthus gallicus

Alien	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	0 0
1930–69	●	1 0
pre-1930	●	1 0




In flower: June to August

Deptford Pink

Dianthus armeria

Native	GB	IR
2000–19	38	1
1987–99	36	1
1970–86	38	0
1930–69	105	0
pre-1930	243	1

Alien	GB	IR
2000–19	32	0
1987–99	15	0
1970–86	11	0
1930–69	25	0
pre-1930	47	0




In flower: July to August

Alpine Bistort

Bistorta vivipara

Native	GB IR
2000–19	308 4
1987–99	302 4
1970–86	246 0
1930–69	328 3
pre-1930	118 5

Alien	GB IR
2000–19	1 0
1987–99	1 0
1970–86	1 0
1930–69	0 0
pre-1930	0 0




In flower: June to August

Iceland-purslane

Koenigia islandica

Native	GB IR
2000–19	5 0
1987–99	6 0
1970–86	5 0
1930–69	6 0
pre-1930	1 0



In flower: June to August

Northern Knotgrass


Polygonum boreale

Native GB IR

2000–19	118	0
1987–99	70	0
1970–86	13	0
1930–69	62	0
pre-1930	9	0

Alien GB IR

2000–19	3	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: July to September

Mountain Sorrel



Oxyria digyna

Native GB IR

2000–19	●	223	18
1987–99	●	213	19
1970–86	●	146	6
1930–69	●	250	7
pre-1930	○	64	12

Alien GB IR

2000–19	●	2	0
1987–99	●	2	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	○	0	0



In flower: July to September

Copse-bindweed


Fallopia dumetorum

Native GB IR

2000–19	●	20	0
1987–99	●	23	0
1970–86	●	27	0
1930–69	●	34	0
pre-1930	○	45	0

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	○	3	0




In flower: July to September

Monk's-rhubarb

Rumex alpinus

Alien	GB	IR
2000–19	101	0
1987–99	99	0
1970–86	68	0
1930–69	109	1
pre-1930	52	0




In flower: June to August

Scottish Dock

Rumex aquaticus

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	3 0
1930–69	3 0
pre-1930	1 0



In flower: June to July

Northern Dock


Rumex longifolius

Native GB IR

2000–19	●	541	0
1987–99	●	436	0
1970–86	●	228	0
1930–69	●	262	0
pre-1930	○	114	0

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0



In flower: June to July

Shore Dock


Rumex rupestris

Native GB IR

2000–19	●	27	0
1987–99	●	28	0
1970–86	●	23	0
1930–69	●	30	0
pre-1930	○	38	0

Alien GB IR

2000–19	●	1	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: June to July

Broad-leaved Sea-lavender

Limonium auriculae-ursifolium

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	0 0
1930–69	●	1 0
pre-1930	●	1 0




In flower: June to September

Alderney Sea-lavender

Limonium normannicum

Native	GB IR
2000–19	2 0
1987–99	3 0
1970–86	2 0
1930–69	2 0
pre-1930	0



In flower: June to September

Jersey Thrift


Armeria arenaria

Native GB IR

2000–19	●	3	0
1987–99	●	5	0
1970–86	●	0	0
1930–69	●	1	0
pre-1930	●	0	0

Alien GB IR

2000–19	●	3	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	1	0
pre-1930	●	0	0




In flower: June to September

Peony

Paeonia mascula

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower: April to May

Six-stamened Waterwort

Elatine hexandra

Native	GB	IR
2000–19	124	89
1987–99	136	37
1970–86	98	15
1930–69	70	29
pre-1930	83	36




In flower: July to September

Eight-stamened Waterwort

Elatine hydropiper

Native	GB	IR
2000–19	23	3
1987–99	23	12
1970–86	18	8
1930–69	9	11
pre-1930	12	5



In flower: July to August

Wavy St John's-wort


Hypericum undulatum

Native GB IR

2000–19	●	76	0
1987–99	●	56	0
1970–86	●	44	0
1930–69	●	53	0
pre-1930	○	46	0

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0



In flower: August to September

Toadflax-leaved St John's-wort



Hypericum linariifolium

Native GB IR

2000–19	●	14	0
1987–99	●	16	0
1970–86	●	11	0
1930–69	●	14	0
pre-1930	○	18	0

Alien GB IR

2000–19	●	0	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	1	0



In flower: June to September

Pale St John's-wort


Hypericum montanum

Native GB IR

2000–19	●	113	0
1987–99	●	141	0
1970–86	●	151	0
1930–69	●	146	0
pre-1930	○	136	0

Alien GB IR

2000–19	●	0	0
1987–99	●	3	0
1970–86	●	1	0
1930–69	●	2	0
pre-1930	○	3	0




In flower: June to September

Irish St John's-wort

Hypericum canadense

Alien	GB IR
2000–19	0 7
1987–99	0 2
1970–86	0 3
1930–69	0 3
pre-1930	0 1




In flower: July to August

Small Mallow

Malva pusilla

Alien	GB	IR
2000–19	16	7
1987–99	19	4
1970–86	16	0
1930–69	55	4
pre-1930	65	1




In flower: July to September

Spotted Rock-rose

Tuberaria guttata

Native	GB	IR
2000–19	9	9
1987–99	9	8
1970–86	6	4
1930–69	5	3
pre-1930	4	6




In flower: May to July

Hoary Rock-rose

Helianthemum oelandicum

Native	GB	IR
2000–19	17	8
1987–99	17	7
1970–86	16	9
1930–69	16	5
pre-1930	12	8



In flower: May to July

Teesdale Violet


Viola rupestris

Native GB IR

2000–19	●	5	0
1987–99	●	7	0
1970–86	●	7	0
1930–69	●	4	0
pre-1930	○	3	0

Alien GB IR

2000–19	●	0	0
1987–99	●	0	0
1970–86	●	1	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: May to December

Pale Dog-violet

Viola lactea


Native	GB	IR
2000–19	91	12
1987–99	88	13
1970–86	72	4
1930–69	115	9
pre-1930	119	5



In flower: May to June

Marsh Violet

Viola palustris




In flower: April to July

Dwarf Pansy

Viola kitaibeliana

Native	GB IR
2000–19	8 0
1987–99	9 0
1970–86	6 0
1930–69	7 0
pre-1930	7 0



In flower: April to July

Tea-leaved Willow



Salix phylicifolia

Native GB IR

2000–19	●	310	4
1987–99	●	276	2
1970–86	●	233	1
1930–69	●	260	2
pre-1930	○	102	5

Alien GB IR

2000–19	●	11	0
1987–99	●	4	0
1970–86	●	2	0
1930–69	●	2	0
pre-1930	○	1	0



In flower: April to May

Downy Willow



Salix lapponum

Native GB IR

2000–19	●	81	0
1987–99	●	56	0
1970–86	●	68	0
1930–69	●	74	0
pre-1930	○	36	0

Alien GB IR

2000–19	●	1	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0



In flower: May to June

Woolly Willow


Salix lanata

Native GB IR

2000–19	●	11	0
1987–99	●	11	0
1970–86	●	10	0
1930–69	●	10	0
pre-1930	○	8	0

Alien GB IR

2000–19	●	16	0
1987–99	●	2	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0



In flower: May to July

Mountain Willow


Salix arbuscula

Native GB IR

2000–19	●	24	0
1987–99	●	27	0
1970–86	●	22	0
1930–69	●	27	0
pre-1930	○	15	0

Alien GB IR

2000–19	●	1	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: May to June

Whortle-leaved Willow

Salix myrsinifolia


Native	GB IR
2000–19	44 0
1987–99	41 0
1970–86	50 0
1930–69	48 0
pre-1930	26 0



In flower: May to June

Dwarf Willow

Salix herbacea



In flower: June to July

Net-leaved Willow


Salix reticulata

Native GB IR

2000–19	●	16	0
1987–99	●	18	0
1970–86	●	14	0
1930–69	●	17	0
pre-1930	○	13	0

Alien GB IR

2000–19	●	1	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: June to July

False London-rocket

Sisymbrium loeselii

Alien	GB IR
2000–19	36 0
1987–99	38 1
1970–86	29 0
1930–69	35 0
pre-1930	38 0




In flower: May to November

Hoary Stock

Matthiola incana

Alien	GB	IR
2000–19	102	3
1987–99	84	2
1970–86	45	1
1930–69	51	0
pre-1930	43	0




In flower: April to June

Small-flowered Winter-cress

Barbarea stricta

Alien	GB IR
2000–19	59 0
1987–99	53 0
1970–86	41 0
1930–69	35 0
pre-1930	47 0




In flower: May to September

American Winter-cress

Barbarea verna

Alien	GB	IR
2000–19	451	46
1987–99	342	7
1970–86	199	7
1930–69	200	7
pre-1930	137	15



In flower: March to July

Narrow-fruited Water-cress


Nasturtium microphyllum

Native GB IR

2000–19	●	607	257
1987–99	●	686	278
1970–86	●	479	48
1930–69	●	687	152
pre-1930	○	174	32

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	1	0
pre-1930	○	0	0



In flower: May to October

Northern Yellow-cress


Rorippa islandica

Native GB IR

2000–19	●	178	37
1987–99	●	58	29
1970–86	●	21	9
1930–69	●	9	2
pre-1930	●	3	9

Alien GB IR

2000–19	●	1	0
1987–99	●	2	0
1970–86	●	1	0
1930–69	●	0	0
pre-1930	●	0	0



In flower: July to October

Narrow-leaved Bitter-cress


Cardamine impatiens

Native GB IR

2000–19	●	83	1
1987–99	●	80	1
1970–86	●	87	1
1930–69	●	73	0
pre-1930	○	101	0

Alien GB IR

2000–19	●	2	1
1987–99	●	6	2
1970–86	●	6	3
1930–69	○	10	1
pre-1930	○	11	2




In flower: May to August

Northern Rock-cress

Arabidopsis petraea

Native	GB IR
2000–19	49 2
1987–99	47 2
1970–86	39 2
1930–69	65 2
pre-1930	48 2




In flower: June to August

Sand Rock-cress

Arabidopsis arenosa

Alien	GB	IR
2000–19	2	1
1987–99	1	0
1970–86	4	0
1930–69	3	0
pre-1930	1	0




In flower: June to August

Tower Cress

Pseudoturritis turrita

Alien	GB	IR
2000–19	4	1
1987–99	6	0
1970–86	3	0
1930–69	3	0
pre-1930	22	1



In flower: May to July

Alpine Rock-cress


Arabis alpina

Native GB IR

2000–19	●	1	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	●	1	0

Alien GB IR

2000–19	●	1	0
1987–99	●	2	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	0	0




In flower: May to July

Garden Arabis

Arabis caucasica

Alien	GB	IR
2000–19	238	7
1987–99	246	5
1970–86	115	0
1930–69	97	2
pre-1930	44	0



In flower: March to June

Yellow Whitlowgrass


Draba aizoides

Native GB IR

2000–19	●	2	0
1987–99	●	2	0
1970–86	●	2	0
1930–69	●	2	0
pre-1930	●	1	0

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	1	0
pre-1930	●	0	0




In flower: February to April

Rock Whitlowgrass

Draba norvegica

Native	GB IR
2000–19	16 0
1987–99	21 0
1970–86	16 0
1930–69	21 0
pre-1930	10 0




In flower: July to August

Hoary Whitlowgrass

Draba incana

Native	GB	IR
2000–19	120	14
1987–99	127	17
1970–86	110	8
1930–69	159	9
pre-1930	91	27

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0



In flower: May to August

Wall Whitlowgrass


Drabellula muralis

Native GB IR

2000–19	24	0
1987–99	30	0
1970–86	23	0
1930–69	25	0
pre-1930	23	0

Alien GB IR

2000–19	75	45
1987–99	83	22
1970–86	81	7
1930–69	89	8
pre-1930	77	22




In flower: April to August

Glabrous Whitlowgrass

Erophila glabrescens

Native	GB	IR
2000–19	397	46
1987–99	236	14
1970–86	44	11
1930–69	56	7
pre-1930	109	11




In flower: March to May

Pyrenean Scurvygrass

Cochlearia pyrenaica

Native	GB	IR
2000–19	124	4
1987–99	112	3
1970–86	80	0
1930–69	82	3
pre-1930	39	4




In flower: May to August

Mountain Scurvygrass

Cochlearia micacea

Native	GB IR
2000–19	11 0
1987–99	19 0
1970–86	9 0
1930–69	15 0
pre-1930	22 0



In flower: May to July

Hutchinsia


Hwornungia petraea

Native GB IR

2000–19	●	33	0
1987–99	●	40	0
1970–86	●	32	0
1930–69	●	31	0
pre-1930	○	39	0

Alien GB IR

2000–19	●	1	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	2	0
pre-1930	○	3	2




In flower: February to May

Alpine Penny-cress

Noccaea caerulescens

Native	GB IR
2000–19	38 0
1987–99	50 0
1970–86	51 0
1930–69	46 0
pre-1930	47 0




In flower: April to August

Garlic Penny-cress

Thlaspi alliaceum

Alien	GB IR	
2000–19	13	1
1987–99	9	0
1970–86	11	0
1930–69	3	0
pre-1930	1	0



In flower: May to August

Smith's Pepperwort



Lepidium heterophyllum

Native GB IR

2000–19	● 701	200
1987–99	● 729	228
1970–86	● 461	49
1930–69	● 728	146
pre-1930	○ 293	66

Alien GB IR

2000–19	● 1	0
1987–99	● 1	0
1970–86	● 3	0
1930–69	● 3	0
pre-1930	○ 2	0




In flower: May to September

Garden Cress

Lepidium sativum

Alien	GB	IR
2000–19	111	8
1987–99	99	6
1970–86	131	2
1930–69	121	1
pre-1930	128	4



In flower: May to November

Awlwort



Subularia aquatica

Native

	GB	IR
2000–19	142	9
1987–99	215	6
1970–86	109	8
1930–69	142	7
pre-1930	121	25

Alien

	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: June to September

Garden Rocket

Eruca vesicaria

Alien	GB	IR
2000–19	110	7
1987–99	51	1
1970–86	16	0
1930–69	30	0
pre-1930	55	4



In flower: May to November

Isle-of-Man Cabbage


Coincyda monensis subsp. Monensis

Native GB IR

2000–19	31	0
1987–99	35	0
1970–86	29	0
1930–69	29	0
pre-1930	30	0

Alien GB IR


2000–19	1	0
1987–99	5	0
1970–86	5	0
1930–69	3	0
pre-1930	7	0



In flower: May to September

Wallflower Cabbage

Coincyia monensis subsp. *Cheiranthos*




In flower: May to September

Labrador-tea

Rhododendron groenlandicum

Alien	GB IR
2000–19	13 0
1987–99	12 0
1970–86	13 0
1930–69	10 0
pre-1930	5 0




In flower: June to July

Trailing Azalea

Kalmia procumbens

Native	GB	IR
2000–19	149	0
1987–99	128	0
1970–86	86	0
1930–69	145	0
pre-1930	35	0




In flower: May to July

Blue Heath

Phyllodoce caerulea

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	3 0
1930–69	3 0
pre-1930	3 0



In flower: June to July

St Dabeoc's Heath


Daboecia cantabrica

Native GB IR

2000–19	0	39
1987–99	0	34
1970–86	0	4
1930–69	0	1
pre-1930	0	2

Alien GB IR

2000–19	17	1
1987–99	7	0
1970–86	0	0
1930–69	6	0
pre-1930	4	0




In flower: July to September

Shallon

Gaultheria shallon

Alien	GB	IR
2000–19	204	23
1987–99	158	6
1970–86	63	6
1930–69	68	2
pre-1930	14	2




In flower: May to June

Bearberry

Arctostaphylos uva-ursi

Native	GB	IR
2000–19	379	31
1987–99	316	28
1970–86	223	1
1930–69	348	6
pre-1930	134	16




In flower: July to September

Alpine Bearberry

Arctostaphylos alpinus

Native	GB	IR
2000–19	121	0
1987–99	95	0
1970–86	74	0
1930–69	89	0
pre-1930	50	0




In flower: May to August

Mackay's Heath

Erica mackaiana

Alien	GB IR
2000–19	1 8
1987–99	0 9
1970–86	0 5
1930–69	0 6
pre-1930	0 5




In flower: August to September

Portuguese Heath

Erica lusitanica

Alien	GB IR
2000–19	23 1
1987–99	11 0
1970–86	7 0
1930–69	9 0
pre-1930	5 0




In flower: January to April

Small Cranberry

Vaccinium microcarpum


Native	GB IR
2000–19	71 0
1987–99	76 0
1970–86	57 0
1930–69	35 0
pre-1930	16 0



In flower: June to August

Bog Bilberry

Vaccinium uliginosum



In flower: May to June

Common Wintergreen


Pyrola minor

Native GB IR

2000–19	●	307	24
1987–99	●	274	17
1970–86	●	256	12
1930–69	●	307	18
pre-1930	○	288	29

Alien GB IR

2000–19	●	7	0
1987–99	●	9	0
1970–86	●	5	0
1930–69	●	2	0
pre-1930	○	1	0




In flower: June to August

Intermediate Wintergreen

Pyrola media

Native	GB	IR
2000–19	136	10
1987–99	85	12
1970–86	98	10
1930–69	126	14
pre-1930	147	31




In flower: June to August

Serrated Wintergreen

Orthilia secunda

Native	GB	IR
2000–19	131	4
1987–99	108	2
1970–86	106	2
1930–69	125	2
pre-1930	87	5




In flower: July to August

One-flowered Wintergreen

Moneses uniflora

Native	GB	IR
2000–19	12	0
1987–99	13	0
1970–86	11	0
1930–69	11	0
pre-1930	25	0




In flower: June to August

Diapensia

Diapensia lapponica

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	0	0



In flower: May to June

Bird's-eye Primrose


Primula farinose

Native GB IR

2000–19	●	47	0
1987–99	●	59	0
1970–86	●	63	0
1930–69	●	67	0
pre-1930	○	64	0

Alien GB IR

2000–19	●	2	0
1987–99	●	3	0
1970–86	●	3	0
1930–69	●	1	0
pre-1930	○	3	0



In flower: May to June

Scottish Primrose



Primula scotica

Native GB IR

2000–19	●	25	0
1987–99	●	33	0
1970–86	●	30	0
1930–69	●	29	0
pre-1930	○	33	0

Alien GB IR

2000–19	●	2	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	2	0
pre-1930	○	2	0



In flower: June to September

Tufted Loosestrife



Lysimachia thyrsiflora

Native GB IR

2000–19	36	0
1987–99	36	0
1970–86	25	0
1930–69	24	0
pre-1930	37	0

Alien GB IR

2000–19	28	0
1987–99	6	0
1970–86	6	0
1930–69	6	0
pre-1930	6	0



In flower: June to July

Chickweed-wintergreen


Lysimachia europaea

Native GB IR

2000–19	● 423	0
1987–99	● 380	0
1970–86	● 271	0
1930–69	● 361	0
pre-1930	● 160	0

Alien GB IR

2000–19	● 0	0
1987–99	● 0	0
1970–86	● 0	0
1930–69	● 1	0
pre-1930	● 0	0



In flower: June to July

Chaffweed



Lysimachia minima

Native GB IR

2000–19	●	303	76
1987–99	●	213	30
1970–86	●	165	8
1930–69	●	302	33
pre-1930	○	219	46

Alien GB IR

2000–19	●	0	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	1	0



In flower: June to July

Downy Currant


Ribes spicatum

Native GB IR

2000–19	●	58	0
1987–99	●	61	0
1970–86	●	65	0
1930–69	●	51	0
pre-1930	○	46	0

Alien GB IR

2000–19	●	16	0
1987–99	●	12	0
1970–86	●	10	0
1930–69	●	16	0
pre-1930	○	13	0



In flower: April to May

Mountain Currant


Ribes alpinum

Native GB IR

2000–19	●	27	0
1987–99	●	26	0
1970–86	●	24	0
1930–69	●	32	0
pre-1930	○	28	0

Alien GB IR

2000–19	●	185	0
1987–99	●	160	0
1970–86	●	99	1
1930–69	●	106	1
pre-1930	○	107	0




In flower: April to May

Pigmyweed

Crassula aquatica


Native	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	1	0
1930–69	3	0
pre-1930	1	0



In flower: July to September

Roseroot

Rhodiola rosea



In flower: May to August

Rock Stonecrop



Petrosedum forsterianum

Native GB IR

2000–19	●	68	0
1987–99	●	80	0
1970–86	●	79	0
1930–69	●	58	0
pre-1930	○	46	0

Alien GB IR

2000–19	●	360	80
1987–99	●	285	54
1970–86	●	120	3
1930–69	●	88	19
pre-1930	○	79	27




In flower: June to July

Hairy Stonecrop

Sedum villosum

Native	GB	IR
2000–19	95	0
1987–99	100	0
1970–86	107	0
1930–69	124	0
pre-1930	148	0



In flower: June to July

Marsh Saxifrage



Saxifraga hirculus

Native GB IR

2000–19	●	13	7
1987–99	●	7	5
1970–86	●	7	2
1930–69	●	9	6
pre-1930	○	18	11

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	○	1	0




In flower: August to October

Alpine Saxifrage

Micranthes nivalis

Native	GB	IR
2000–19	45	1
1987–99	42	1
1970–86	37	1
1930–69	49	1
pre-1930	41	1



In flower: June to August

St Patrick's-cabbage


Saxifraga spathularis

Native GB IR

2000–19	●	0	125
1987–99	●	0	106
1970–86	●	0	24
1930–69	●	0	98
pre-1930	●	0	49

Alien GB IR

2000–19	●	11	2
1987–99	●	7	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	0	0



In flower: May to July

Kidney Saxifrage


Saxifraga hirsute

Native GB IR

2000–19	0 32
1987–99	0 24
1970–86	0 9
1930–69	0 21
pre-1930	0 22

Alien GB IR

2000–19	50 11
1987–99	62 8
1970–86	28 5
1930–69	18 5
pre-1930	6 3



In flower: May to July

Purple Saxifrage


Saxifraga oppositifolia

Native GB IR

2000–19	●	223	20
1987–99	●	211	18
1970–86	●	147	13
1930–69	●	222	10
pre-1930	○	49	18

Alien GB IR

2000–19	●	2	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: March to August

Highland Saxifrage

Saxifraga rivularis

Native	GB	IR
2000–19	11	0
1987–99	14	0
1970–86	12	0
1930–69	12	0
pre-1930	10	0




In flower: May to August

Drooping Saxifrage

Saxifraga cernua

Native	GB	IR
2000–19	●	3 0
1987–99	●	3 0
1970–86	●	3 0
1930–69	●	3 0
pre-1930	●	3 0




In flower: June to August

Tufted Saxifrage

Saxifraga cespitosa

Native	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	9	0
1930–69	9	0
pre-1930	6	0




In flower: June to August

Celandine Saxifrage

Saxifraga cymbalaria

Alien	GB	IR
2000–19	50	7
1987–99	32	4
1970–86	34	4
1930–69	29	2
pre-1930	12	0




In flower: April to September

Alternate-leaved Golden-saxifrage

Chrysosplenium alternifolium

Native	GB	IR
2000–19	569	0
1987–99	565	0
1970–86	453	0
1930–69	415	0
pre-1930	218	0




In flower: April to May

Cloudberry

Rubus chamaemorus

Native	GB	IR
2000–19	364	1
1987–99	310	1
1970–86	227	1
1930–69	309	1
pre-1930	258	1



In flower: May to June

Rock Cinquefoil


Potentilla rupestris

Native GB IR

2000–19	●	4	0
1987–99	●	4	0
1970–86	●	4	0
1930–69	●	3	0
pre-1930	●	2	0

Alien GB IR

2000–19	●	1	0
1987–99	●	2	0
1970–86	●	0	0
1930–69	●	1	0
pre-1930	●	0	0




In flower: May to June

Ternate-leaved Cinquefoil

Potentilla norvegica

Alien	GB	IR
2000–19	28	1
1987–99	37	1
1970–86	53	1
1930–69	78	1
pre-1930	104	2



In flower: June to September

Alpine Cinquefoil


Potentilla crantzii

Native GB IR

2000–19	●	67	0
1987–99	●	70	0
1970–86	●	67	0
1930–69	●	68	0
pre-1930	○	40	0

Alien GB IR

2000–19	●	1	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: June to July

Mountain Cinquefoil

Potentilla montana

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: April to June

Hautbois Strawberry

Fragaria moschata

Alien	GB	IR
2000–19	51	7
1987–99	53	1
1970–86	17	0
1930–69	52	0
pre-1930	84	1




In flower: April to July

Sibbaldia

Sibbaldia procumbens

Native	GB	IR
2000–19	98	0
1987–99	88	0
1970–86	83	0
1930–69	111	0
pre-1930	43	0




In flower: July to August

Mountain Avens

Dryas octopetala

Native	GB	IR
2000–19	73	24
1987–99	74	23
1970–86	60	11
1930–69	76	1
pre-1930	31	8


Alien	GB	IR
2000–19	3	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: June to July

Bastard Agrimony

Artemesia agrimonoides




In flower: June to July

Clustered Lady's-mantle

Alchemilla glomerulans

Native	GB	IR
2000–19	44	0
1987–99	24	0
1970–86	21	0
1930–69	39	0
pre-1930	12	0




In flower: May to September

Rock Lady's-mantle

Alchemilla wichurae

Native	GB	IR
2000–19	61	0
1987–99	39	0
1970–86	27	0
1930–69	48	0
pre-1930	16	0



In flower: June to September

Silky Lady's-mantle



Alchemilla glaucescens

Native GB IR

2000–19	●	18	2
1987–99	●	16	3
1970–86	●	10	1
1930–69	●	16	2
pre-1930	○	5	1

Alien GB IR

2000–19	●	1	0
1987–99	●	0	0
1970–86	●	1	0
1930–69	●	0	0
pre-1930	○	3	0



In flower: June to September

Velvet Lady's-mantle


Alchemilla monticola

Native GB IR

2000–19	●	7	0
1987–99	●	4	0
1970–86	●	5	0
1930–69	●	9	0
pre-1930	○	4	0

Alien GB IR

2000–19	●	0	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	2	0
pre-1930	○	1	0




In flower: June to September

Large-toothed Lady's-mantle

Alchemilla subcrenata

Native	GB	IR
2000–19	6	0
1987–99	2	0
1970–86	2	0
1930–69	8	0
pre-1930	1	0



In flower: June to September

Starry Lady's-mantle



Alchemilla acutiloba

Native GB IR

2000–19	●	16	0
1987–99	●	10	0
1970–86	●	9	0
1930–69	●	13	0
pre-1930	○	0	0

Alien GB IR

2000–19	●	0	0
1987–99	●	2	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0



In flower: June to September

Shining Lady's-mantle


Alchemilla micans

Native GB IR

2000–19	●	2	0
1987–99	●	2	0
1970–86	●	2	0
1930–69	●	0	0
pre-1930	●	0	0

Alien GB IR

2000–19	●	0	0
1987–99	●	2	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	0	0




In flower: June to September

Crimean Lady's-mantle

Alchemilla tytthantha

Alien	GB	IR
2000–19	2	0
1987–99	5	0
1970–86	1	0
1930–69	3	0
pre-1930	1	0



In flower: June to September

Alpine Lady's-mantle


Alchemilla alpina

Native GB IR

2000–19	● 331	4
1987–99	● 311	3
1970–86	● 221	4
1930–69	● 340	2
pre-1930	○ 84	4

Alien GB IR

2000–19	● 9	0
1987–99	● 4	0
1970–86	● 4	0
1930–69	● 2	0
pre-1930	○ 1	0




In flower: June to September

Silver Lady's-mantle

Alchemilla conjuncta

Alien	GB	IR
2000–19	66	0
1987–99	43	0
1970–86	28	0
1930–69	22	0
pre-1930	21	0




In flower: June to September

Short-styled Field-rose

Rosa stylosa

Native	GB	IR
2000–19	267	31
1987–99	270	23
1970–86	129	6
1930–69	132	5
pre-1930	142	1




In flower: June to July

Northern Dog-rose

Rosa caesia subsp. caesia

Native	GB	IR
2000–19	272	4
1987–99	180	6
1970–86	108	0
1930–69	93	5
pre-1930	176	4




In flower: June to July

Round-leaved Dog-rose

Rosa tomentella

Native	GB	IR
2000–19	87	0
1987–99	78	2
1970–86	63	1
1930–69	57	0
pre-1930	109	0



In flower: June to July

Soft Downy-rose



Rosa mollis

Native GB IR

2000–19	●	437	9
1987–99	●	334	35
1970–86	●	219	6
1930–69	●	147	4
pre-1930	○	214	6

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0



In flower: June to July

Sherard's Downy-rose



Rosa sherardii

Native GB IR

2000–19	●	951	383
1987–99	●	839	308
1970–86	●	372	76
1930–69	●	361	39
pre-1930	○	421	39

Alien GB IR

2000–19	●	0	0
1987–99	●	1	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: June to July

St Lucie Cherry

Prunus mahaleb

Alien	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	4	0
1930–69	4	0
pre-1930	1	0



In flower: April to May

Arran Service-tree


Sorbus pseudofennica

Native GB IR

2000–19	●	1	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	●	1	0

Alien GB IR

2000–19	●	0	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	1	0



In flower: May to June

Arran Whitebeam


Sorbus arranensis

Native GB IR

2000–19	●	1	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	●	1	0

Alien GB IR

2000–19	●	3	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	0	0




In flower: May to June

False Rowan

Sorbus pseudomeinichii

Native	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: May to June

Ley's Whitebeam



Sorbus leyana

Native GB IR

2000–19	●	2	0
1987–99	●	2	0
1970–86	●	2	0
1930–69	●	2	0
pre-1930	●	1	0

Alien GB IR

2000–19	●	2	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	0	0




In flower: May to June

Least Whitebeam

Sorbus minima

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




In flower: May to June

English Whitebeam

Sorbus anglica

Native	GB	IR
2000–19	13	1
1987–99	13	1
1970–86	12	1
1930–69	11	1
pre-1930	8	1




In flower: May to June

Thin-leaved Whitebeam

Sorbus leptophylla

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	3	0
pre-1930	1	0



In flower: May to June

Round-leaved Whitebeam


Sorbus eminens

Native GB IR

2000–19	●	8	0
1987–99	●	8	0
1970–86	●	6	0
1930–69	●	4	0
pre-1930	●	4	0

Alien GB IR

2000–19	●	2	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	1	0
pre-1930	●	0	0



In flower: May to June

Grey-leaved Whitebeam


Sorbus porrigentiformis

Native GB IR

2000–19	29	0
1987–99	24	0
1970–86	24	0
1930–69	20	0
pre-1930	26	0

Alien GB IR

2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to June

White's whitebeam

Sorbus whiteana

Native	GB IR
2000–19	2 0
1987–99	1 0
1970–86	1 0
1930–69	1 0
pre-1930	1 0



In flower: May to June

Rock Whitebeam


Sorbus rupicola

Native GB IR

2000–19	●	73	7
1987–99	●	73	6
1970–86	●	53	6
1930–69	●	64	12
pre-1930	○	39	10

Alien GB IR

2000–19	●	1	1
1987–99	●	0	0
1970–86	●	2	0
1930–69	●	0	0
pre-1930	○	2	0




In flower: May to June

Bloody Whitebeam

Sorbus vexans

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	3 0
1930–69	2 0
pre-1930	1 0




In flower: May to June

Somerset Whitebeam

Sorbus subcuneata

Native	GB IR
2000–19	4 0
1987–99	4 0
1970–86	4 0
1930–69	3 0
pre-1930	2 0



In flower: May to June

Devon Whitebeam



Sorbus devoniensis

Native GB IR

2000–19	28	9
1987–99	29	8
1970–86	20	2
1930–69	18	6
pre-1930	20	6

Alien GB IR

2000–19	2	8
1987–99	0	3
1970–86	0	1
1930–69	0	2
pre-1930	0	1



In flower: May to June

Bristol Whitebeam


Sorbus bristoliensis

Native GB IR

2000–19	●	1	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	●	1	0

Alien GB IR

2000–19	●	1	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	0	0




In flower: May to June

Entire-leaved Cotoneaster

Cotoneaster integrifolius

Alien	GB	IR
2000–19	474	149
1987–99	427	85
1970–86	136	12
1930–69	195	33
pre-1930	55	6




In flower: May to June

Wild Cotoneaster

Cotoneaster cambricus

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	1 0
1930–69	●	1 0
pre-1930	●	1 0




In flower: May to June

Alpine Milk-vetch

Astragalus alpinus

Native	GB IR
2000–19	4 0
1987–99	4 0
1970–86	4 0
1930–69	3 0
pre-1930	3 0




In flower: June to July

Purple Oxytropis

Oxytropis halleri

Native	GB	IR
2000–19	11	0
1987–99	10	0
1970–86	10	0
1930–69	8	0
pre-1930	13	0




In flower: June to July

Yellow Oxytropis

Oxytropis campestris

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	3	0
pre-1930	2	0




In flower: May to July

Hairy Bird's-foot-trefoil

Lotus subbiflorus

Native	GB	IR
2000–19	82	9
1987–99	78	8
1970–86	56	1
1930–69	61	3
pre-1930	66	1

Alien	GB	IR
2000–19	16	0
1987–99	3	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower: July to August

Slender Bird's-foot-trefoil

Lotus angustissimus

Native	GB	IR
2000–19	37	0
1987–99	34	0
1970–86	31	0
1930–69	31	0
pre-1930	54	0

Alien	GB	IR
2000–19	8	0
1987–99	1	0
1970–86	2	0
1930–69	4	0
pre-1930	6	0




In flower: July to August

Orange Bird's-foot

Ornithopus pinnatus

Native	GB IR
2000–19	8 0
1987–99	9 0
1970–86	8 0
1930–69	7 0
pre-1930	9 0

Alien	GB IR
2000–19	0 0
1987–99	1 0
1970–86	0 0
1930–69	1 0
pre-1930	2 0




In flower: April to August

Wood Bitter-vetch

Vicia orobus

Native	GB	IR
2000–19	107	9
1987–99	103	10
1970–86	96	3
1930–69	103	5
pre-1930	122	9

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	2	0
pre-1930	0	0




In flower: June to September

Wood Vetch

Ervilia sylvatica

Native	GB	IR
2000–19	292	29
1987–99	349	25
1970–86	277	18
1930–69	383	19
pre-1930	243	42

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	2	0




In flower: June to August

Yellow-vetch

Vicia lutea

Native	GB	IR
2000–19	31	0
1987–99	31	0
1970–86	34	0
1930–69	38	0
pre-1930	42	0

Alien	GB	IR
2000–19	32	0
1987–99	34	0
1970–86	40	0
1930–69	46	1
pre-1930	77	0




In flower: June to August

Black Pea

Lathyrus niger

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	0	0
1930–69	2	0
pre-1930	10	0




In flower: June to July

Tuberous Pea

Lathyrus tuberosus

Alien	GB	IR
2000–19	53	0
1987–99	66	0
1970–86	54	1
1930–69	91	0
pre-1930	73	0




In flower: July to August

Spring Pea

Lathyrus vernus

Alien	GB	IR
2000–19	5	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: June to August

Small Restarrow

Ononis reclinata

Native	GB	IR
2000–19	11	0
1987–99	10	0
1970–86	8	0
1930–69	8	0
pre-1930	10	0




In flower: April to October

Small Melilot

Melilotus indicus

Alien	GB	IR
2000–19	139	8
1987–99	136	5
1970–86	153	5
1930–69	252	5
pre-1930	176	3




In flower: June to October

Large Trefoil

Trifolium aureum

Alien	GB	IR
2000–19	29	0
1987–99	19	0
1970–86	26	4
1930–69	33	0
pre-1930	62	1




In flower: July to August

Twin-headed Clover

Trifolium bocconei

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	3	0
1930–69	4	0
pre-1930	2	0




In flower: April to June

Subterranean Clover

Trifolium subterraneum

Native	GB	IR
2000–19	284	4
1987–99	245	1
1970–86	153	1
1930–69	217	1
pre-1930	136	1

Alien	GB	IR
2000–19	4	0
1987–99	7	1
1970–86	8	0
1930–69	11	0
pre-1930	7	0




In flower: May to June

Petty Whin

Genista anglica

Native	GB	IR
2000–19	364	0
1987–99	424	0
1970–86	392	0
1930–69	528	0
pre-1930	385	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




In flower: May to June

Spanish Gorse

Genista hispanica

Alien	GB	IR
2000–19	65	0
1987–99	44	0
1970–86	10	0
1930–69	6	0
pre-1930	6	0




In flower: April to May

Alternate Water-milfoil

Myriophyllum alterniflorum

Native	GB	IR
2000–19	1040	253
1987–99	1025	226
1970–86	702	60
1930–69	669	103
pre-1930	359	98

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower: May to August

Spear-leaved Willowherb

Epilobium lanceolatum

Native	GB	IR
2000–19	319	0
1987–99	245	0
1970–86	212	0
1930–69	228	0
pre-1930	81	0

Alien	GB	IR
2000–19	23	0
1987–99	7	0
1970–86	4	0
1930–69	11	0
pre-1930	8	0




In flower: July to September

Pale Willowherb

Epilobium roseum

Native	GB	IR
2000–19	746	74
1987–99	528	20
1970–86	455	3
1930–69	570	4
pre-1930	228	5

Alien	GB	IR
2000–19	5	0
1987–99	15	1
1970–86	4	0
1930–69	10	0
pre-1930	1	2




In flower: July to August

Alpine Willowherb

Epilobium anagallidifolium

Native	GB	IR
2000–19	179	0
1987–99	148	0
1970–86	117	0
1930–69	180	0
pre-1930	39	0




In flower: July to August

Chickweed Willowherb

Epilobium alsinifolium

Native	GB	IR
2000–19	130	1
1987–99	126	0
1970–86	126	1
1930–69	138	1
pre-1930	69	1




In flower: July to August

Hampshire-purslane

Ludwigia palustris

Native	GB IR
2000–19	8 0
1987–99	5 0
1970–86	4 0
1930–69	5 0
pre-1930	9 0

Alien	GB IR
2000–19	3 0
1987–99	3 0
1970–86	1 0
1930–69	1 0
pre-1930	2 0




In flower: June

Water-primrose

Ludwigia grandiflora

Alien	GB	IR
2000–19	31	2
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

Small-flowered Evening-primrose

Oenothera cambrica

Alien	GB	IR
2000–19	291	4
1987–99	209	0
1970–86	58	0
1930–69	17	0
pre-1930	15	0




In flower: June to September

Alpine Enchanter's-nightshade

Circaeа alpina

Native	GB	IR
2000–19	20	0
1987–99	21	0
1970–86	22	0
1930–69	15	0
pre-1930	14	0




In flower: July to August

Dwarf Cornel

Cornus suecica

Native	GB	IR
2000–19	199	0
1987–99	156	0
1970–86	100	0
1930–69	156	0
pre-1930	38	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	2	0
1930–69	1	0
pre-1930	1	0




In flower: July to August

Sweet Spurge

Euphorbia dulcis


Alien	GB	IR
2000–19	95	5
1987–99	47	0
1970–86	28	0
1930–69	34	0
pre-1930	29	0



Dwarf Milkwort

Polygala amarella

Native	GB	IR
2000–19	9	0
1987–99	12	0
1970–86	14	0
1930–69	12	0
pre-1930	10	0




In flower: June to August

Upright Yellow-sorrel

Oxalis stricta

Alien	GB	IR
2000–19	293	36
1987–99	198	26
1970–86	120	2
1930–69	214	0
pre-1930	102	1




In flower: June to August

Wood Crane's-bill

Geranium sylvaticum

Native	GB	IR
2000–19	589	3
1987–99	526	2
1970–86	403	2
1930–69	534	2
pre-1930	141	3

Alien	GB	IR
2000–19	43	0
1987–99	23	0
1970–86	21	2
1930–69	16	7
pre-1930	24	3




In flower: June to July

Little-Robin

Geranium purpureum

Native	GB	IR
2000–19	77	12
1987–99	48	5
1970–86	31	3
1930–69	39	4
pre-1930	35	3

Alien	GB	IR
2000–19	0	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to September

Sticky Stork's-bill

Erodium lebelii

Native	GB	IR
2000–19	40	11
1987–99	39	7
1970–86	22	4
1930–69	39	3
pre-1930	32	4

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: May to September

Sea Stork's-bill

Erodium maritimum

Native	GB	IR
2000–19	188	19
1987–99	165	17
1970–86	88	7
1930–69	121	13
pre-1930	107	26

Alien	GB	IR
2000–19	13	0
1987–99	5	0
1970–86	4	0
1930–69	1	0
pre-1930	11	0




In flower: June to September

Field Eryngo

Eryngium campestre

Alien	GB	IR
2000–19	16	0
1987–99	12	0
1970–86	16	0
1930–69	20	1
pre-1930	34	2




In flower: July to August

Golden Chervil

Chaerophyllum aureum

Alien	GB	IR
2000–19	10	0
1987–99	5	0
1970–86	3	0
1930–69	7	0
pre-1930	5	0




In flower: June to July

Sweet Cicely

Myrrhis odorata

Alien	GB	IR
2000–19	912	71
1987–99	916	88
1970–86	577	39
1930–69	825	56
pre-1930	223	41




In flower: May to June

Spignel

Meum athamanticum

Native	GB	IR
2000–19	86	0
1987–99	85	0
1970–86	78	0
1930–69	92	0
pre-1930	89	0

Alien	GB	IR
2000–19	5	0
1987–99	2	1
1970–86	2	0
1930–69	1	0
pre-1930	2	0




In flower: June to July

Bladderseed

Physospermum cornubiense

Native	GB	IR
2000–19	8	0
1987–99	10	0
1970–86	7	0
1930–69	10	0
pre-1930	12	0

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




In flower: July to August

Small Hare's-ear

Bupleurum baldense

Native	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	7	0
1930–69	8	0
pre-1930	10	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	3	0




In flower: June to July

False Thorow-wax

Bupleurum subovatum

Alien	GB	IR
2000–19	20	0
1987–99	19	0
1970–86	101	1
1930–69	52	1
pre-1930	60	2




In flower: June to October

Lesser Marshwort

Helosciadium inundatum

Native	GB	IR
2000–19	413	206
1987–99	468	251
1970–86	383	68
1930–69	496	132
pre-1930	464	81

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to August

Corn Parsley

Sison segetum

Native	GB	IR
2000–19	392	0
1987–99	316	0
1970–86	214	0
1930–69	282	0
pre-1930	160	0

Alien	GB	IR
2000–19	5	0
1987–99	4	1
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower: August to September

Whorled Caraway

Trocdaris verticillata

Native	GB	IR
2000–19	239	25
1987–99	251	26
1970–86	136	9
1930–69	197	21
pre-1930	72	24

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: July to August

Caraway

Carum carvi


Alien	GB	IR
2000–19	14	5
1987–99	49	4
1970–86	50	1
1930–69	105	6
pre-1930	243	24



In flower: June to July

Scots Lovage

Ligusticum scoticum




In flower: June to July

Hartwort

Tordylium maximum

Alien	GB	IR
2000–19	2	1
1987–99	3	0
1970–86	3	0
1930–69	5	0
pre-1930	7	0




In flower: June to July

Marsh Gentian

Gentiana pneumonanthe

Native	GB	IR
2000–19	35	0
1987–99	49	0
1970–86	49	0
1930–69	53	0
pre-1930	105	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower: July to October

Alpine Gentian

Gentiana nivalis

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	3 0
1930–69	4 0
pre-1930	4 0




In flower: June to August

Seaside Centaury

Centaureum littorale

Native	GB	IR
2000–19	70	2
1987–99	70	2
1970–86	47	2
1930–69	61	3
pre-1930	57	2

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to August

Slender Centaury

Centaureum tenuiflorum

Native	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	2	0
1930–69	3	0
pre-1930	3	0




In flower: July to September

Perennial Centaury

Centaureum portense

Native	GB IR
2000–19	2 0
1987–99	1 0
1970–86	1 0
1930–69	3 0
pre-1930	2 0

Alien	GB IR
2000–19	4 0
1987–99	2 0
1970–86	3 0
1930–69	0 0
pre-1930	1 0




In flower: July to August

Field Gentian

Gentianella campestris

Native	GB	IR
2000–19	472	68
1987–99	418	75
1970–86	298	21
1930–69	553	74
pre-1930	420	72




In flower: July to October

Fringed Gentian

Gentianopsis ciliata

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	1 0
1930–69	●	0 0
pre-1930	○	2 0

Alien	GB	IR
2000–19	●	0 0
1987–99	●	0 0
1970–86	●	0 0
1930–69	●	0 0
pre-1930	○	1 0




In flower: August to October

Yellow Centaury

Cicendia filiformis

Native	GB	IR
2000–19	35	34
1987–99	27	33
1970–86	30	4
1930–69	37	12
pre-1930	57	13




In flower: June to October

Guernsey Centaury

Exaculum pusillum

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	1 0
1930–69	●	1 0
pre-1930	○	1 0




In flower: July to September

Cock's-eggs

Salpichroa organifolia

Alien	GB	IR
2000–19	12	1
1987–99	8	1
1970–86	8	0
1930–69	7	0
pre-1930	1	0




In flower: June to August

Yellow Dodder

Cuscuta campestris

Alien	GB	IR
2000–19	43	0
1987–99	10	0
1970–86	20	0
1930–69	13	0
pre-1930	10	0




In flower: July to September

Narrow-leaved Lungwort

Pulmonaria longifolia

Native	GB IR
2000–19	16 0
1987–99	18 0
1970–86	18 0
1930–69	18 0
pre-1930	17 0

Alien	GB IR
2000–19	4 0
1987–99	5 0
1970–86	3 0
1930–69	9 0
pre-1930	10 0




In flower: April to May

Creeping Forget-me-not

Myosotis secunda

Native	GB	IR
2000–19	1554	479
1987–99	1427	398
1970–86	828	60
1930–69	1094	201
pre-1930	289	64

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to August

Pale Forget-me-not

Myosotis stolonifera

Native	GB	IR
2000–19	97	0
1987–99	96	0
1970–86	84	0
1930–69	57	0
pre-1930	20	0




In flower: June to August

Alpine Forget-me-not

Myosotis alpestris

Native	GB	IR
2000–19	5	0
1987–99	5	0
1970–86	5	0
1930–69	6	0
pre-1930	7	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower: July to September

Upright Forget-me-not

Myosotis stricta

Native	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Green Hound's-tongue

Cynoglossum germanicum

Native	GB IR
2000–19	13 0
1987–99	5 0
1970–86	4 0
1930–69	8 0
pre-1930	48 0

Alien	GB IR
2000–19	5 0
1987–99	2 0
1970–86	0 0
1930–69	4 0
pre-1930	3 0




In flower: May to July

Oysterplant

Mertensia maritima

Native	GB	IR
2000–19	74	11
1987–99	74	11
1970–86	92	6
1930–69	83	11
pre-1930	177	25




In flower: June to August

Downy Woundwort

Stachys germanica

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	5	0
1930–69	5	0
pre-1930	10	0

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	1	0
1930–69	6	0
pre-1930	12	0




In flower: July to August

Limestone Woundwort

Stachys alpina

Alien	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower: June to August

Annual Yellow-woundwort

Stachys annua

Alien	GB	IR
2000–19	7	0
1987–99	4	0
1970–86	9	0
1930–69	27	0
pre-1930	44	0




In flower: June to October

Perennial Yellow-woundwort

Stachys recta

Alien	GB	IR
2000–19	●	1 0
1987–99	●	3 0
1970–86	●	1 0
1930–69	●	3 0
pre-1930	○	2 0




In flower: July to September

Northern Dead-nettle

Lamium confertum

Alien	GB	IR
2000–19	208	31
1987–99	212	18
1970–86	113	3
1930–69	218	12
pre-1930	103	34




In flower: May to September

Red Hemp-nettle

Galeopsis angustifolia

Alien	GB	IR
2000–19	80	8
1987–99	97	11
1970–86	174	4
1930–69	369	7
pre-1930	404	31




In flower: July to October

Bastard Balm

Melittis melissophyllum

Native	GB	IR
2000–19	69	0
1987–99	69	0
1970–86	69	0
1930–69	89	0
pre-1930	64	0

Alien	GB	IR
2000–19	3	0
1987–99	0	0
1970–86	2	0
1930–69	0	0
pre-1930	7	0




In flower: May to July

Wall Germander

Teucrium chamaedrys

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	2	0
pre-1930	2	0

Alien	GB	IR
2000–19	32	1
1987–99	21	1
1970–86	21	0
1930–69	24	1
pre-1930	51	2




In flower: July to September

Cut-leaved Germander

Teucrium botrys

Alien	GB	IR
2000–19	7	1
1987–99	7	0
1970–86	8	0
1930–69	10	0
pre-1930	10	0




In flower: July to September

Pyramidal Bugle

Ajuga pyramidalis

Native	GB	IR
2000–19	61	7
1987–99	51	6
1970–86	41	6
1930–69	57	2
pre-1930	45	4




In flower: May to July

Large Selfheal

Prunella grandiflora

Alien	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: June to September

Cut-leaved Selfheal

Prunella laciniata

Alien	GB	IR
2000–19	13	2
1987–99	14	1
1970–86	10	0
1930–69	46	0
pre-1930	28	0



In flower: June to August

Wood Calamint


Clinopodium menthifolium

Native GB IR

2000–19	●	1	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	●	1	0
pre-1930	○	1	0

Alien GB IR

2000–19	●	1	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	○	0	0




In flower: July to September

Whorled Mint

Mentha aquatica x arvensis


	GB	IR
2000–19	● 878	212
1987–99	● 827	153
1970–86	● 483	31
1930–69	● 605	64
pre-1930	○ 482	33



In flower: August to October

Peppermint

Mentha aquatica x spicata




In flower: July to October

Motherwort

Leonurus cardiaca

Alien	GB	IR
2000–19	56	0
1987–99	29	0
1970–86	24	0
1930–69	61	1
pre-1930	193	4




In flower: July to September

Autumnal Water-starwort

Callitricha hermaphroditica

Native	GB	IR
2000–19	189	49
1987–99	217	72
1970–86	228	29
1930–69	181	31
pre-1930	110	38

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to September

Short-leaved Water-starwort

Callitricha truncata

Native	GB	IR
2000–19	46	2
1987–99	33	2
1970–86	23	1
1930–69	24	1
pre-1930	18	1




In flower: May to September

Narrow-fruited Water-starwort

Callitricha palustris

Native	GB	IR
2000–19	6	2
1987–99	0	1
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to September

Shoreweed

Littorella uniflora

Native	GB	IR
2000–19	960	344
1987–99	1000	337
1970–86	650	91
1930–69	768	210
pre-1930	394	85

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to August

Mudwort

Limosella aquatica

Native	GB	IR
2000–19	113	12
1987–99	77	7
1970–86	47	8
1930–69	41	3
pre-1930	145	5

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to October

Welsh Mudwort

Limosella australis

Native	GB IR
2000–19	5 0
1987–99	4 0
1970–86	3 0
1930–69	4 0
pre-1930	3 0




In flower: June to October

Blood-drop-emlets

Erythranthe lutea

Alien	GB	IR
2000–19	52	2
1987–99	53	4
1970–86	90	0
1930–69	136	2
pre-1930	54	1




In flower: July to September

Musk

Erythranthe moschata

Alien	GB	IR
2000–19	171	7
1987–99	187	5
1970–86	174	3
1930–69	182	6
pre-1930	64	2




In flower: June to September

Straw Foxglove

Digitalis lutea

Alien	GB	IR
2000–19	38	0
1987–99	14	0
1970–86	9	0
1930–69	3	0
pre-1930	5	0




In flower: June to September

Sand Toadflax

Linaria arenaria

Alien	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower: June to September

Jersey Toadflax

Linaria pelisseriana

Alien	GB	IR
2000–19	3	0
1987–99	0	0
1970–86	1	0
1930–69	6	0
pre-1930	13	0




In flower: May to July

Prostrate Toadflax

Linaria supina

Alien	GB	IR
2000–19	●	8 0
1987–99	●	14 0
1970–86	●	14 0
1930–69	●	10 0
pre-1930	○	21 0




In flower: June to September

Alpine Speedwell

Veronica alpina

Native	GB	IR
2000–19	19	0
1987–99	20	0
1970–86	28	0
1930–69	24	0
pre-1930	18	0




In flower: July to August

Rock Speedwell

Veronica fruticans

Native	GB	IR
2000–19	13	0
1987–99	17	0
1970–86	15	0
1930–69	13	0
pre-1930	15	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to August

American Speedwell

Veronica peregrina

Alien	GB	IR
2000–19	161	86
1987–99	72	29
1970–86	58	6
1930–69	61	8
pre-1930	37	14






In flower: April to July

Cornish Moneywort

Sibthorpia europaea

Native	GB	IR
2000–19	92	8
1987–99	90	7
1970–86	81	5
1930–69	76	3
pre-1930	84	9

Alien	GB	IR
2000–19	5	0
1987–99	3	1
1970–86	1	1
1930–69	4	3
pre-1930	4	0




In flower: July to October

Montane Eyebright

Euphrasia officinalis subsp. *monticola*

Native	GB	IR
2000–19	27	1
1987–99	18	0
1970–86	34	0
1930–69	34	0
pre-1930	9	1




In flower: June to July

Cumbrian Eyebright

Euphrasia rivularis

Native	GB	IR
2000–19	13	0
1987–99	10	0
1970–86	7	0
1930–69	10	0
pre-1930	6	0




In flower: June to September

Cornish Eyebright

Euphrasia vigursii

Native	GB	IR
2000–19	11	0
1987–99	8	0
1970–86	25	0
1930–69	21	0
pre-1930	24	0




In flower: June to September

Western Eyebright

Euphrasia tetraquetra

Native	GB	IR
2000–19	220	134
1987–99	174	84
1970–86	95	20
1930–69	237	62
pre-1930	89	16




In flower: May to September

Confused Eyebright

Euphrasia confusa

Native	GB	IR
2000–19	645	34
1987–99	400	25
1970–86	408	7
1930–69	642	15
pre-1930	222	4




In flower: July to September

Upland Eyebright

Euphrasia frigida

Native	GB	IR
2000–19	69	2
1987–99	41	2
1970–86	41	4
1930–69	90	6
pre-1930	26	4




In flower: July to August

Foula Eyebright

Euphrasia foulaensis

Native	GB	IR
2000–19	104	1
1987–99	54	0
1970–86	48	0
1930–69	102	0
pre-1930	52	0




In flower: July to August

Welsh Eyebright

Euphrasia cambrica

Native	GB	IR
2000–19	1	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower: June to July

Ostenfeld's Eyebright

Euphrasia ostenfeldii

Native	GB	IR
2000–19	40	1
1987–99	16	0
1970–86	20	0
1930–69	33	0
pre-1930	11	0




In flower: July to September

Marshall's Eyebright

Euphrasia marshallii

Native	GB	IR
2000–19	21	0
1987–99	10	0
1970–86	16	0
1930–69	25	0
pre-1930	12	0




In flower: July to August

Pugsley's Eyebright

Euphrasia rotundifolia

Native	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	1	0
1930–69	3	0
pre-1930	3	0




In flower: July to August

Campbell's Eyebright

Euphrasia campbelliae

Native	GB	IR
2000–19	10	0
1987–99	6	0
1970–86	3	0
1930–69	10	0
pre-1930	0	0




In flower: July

Slender Eyebright

Euphrasia micrantha

Native	GB	IR
2000–19	589	123
1987–99	392	88
1970–86	354	21
1930–69	653	120
pre-1930	275	39




In flower: July to September

Scottish Eyebright

Euphrasia scottica

Native	GB	IR
2000–19	472	60
1987–99	321	38
1970–86	265	12
1930–69	283	36
pre-1930	121	9




In flower: July to August

Heslop-Harrison's Eyebright

Euphrasia heslop-harrisonii

Native	GB	IR
2000–19	31	1
1987–99	15	0
1970–86	8	0
1930–69	11	0
pre-1930	6	0




In flower: August

Irish Eyebright

Euphrasia salisburgensis

Native	GB IR
2000–19	0.47
1987–99	0.31
1970–86	0.20
1930–69	0.17
pre-1930	0.31




In flower: July to August

Small Cow-wheat

Melampyrum sylvaticum

Native	GB	IR
2000–19	21	1
1987–99	22	3
1970–86	19	3
1930–69	32	4
pre-1930	56	16

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to August

Alpine Bartsia

Bartsia alpina

Native	GB	IR
2000–19	13	0
1987–99	13	0
1970–86	17	0
1930–69	17	0
pre-1930	15	0





In flower: June to August

Yellow Bartsia

Parentucellia viscosa

Native	GB	IR
2000–19	136	62
1987–99	125	50
1970–86	106	17
1930–69	105	47
pre-1930	98	26

Alien	GB	IR
2000–19	120	0
1987–99	76	0
1970–86	31	0
1930–69	28	0
pre-1930	14	0





In flower: June to October

Bladderwort

Utricularia australis

Native	GB	IR
2000–19	79	25
1987–99	79	17
1970–86	56	11
1930–69	43	12
pre-1930	75	13

Alien	GB	IR
2000–19	4	0
1987–99	5	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to September

Intermediate/Nordic/Pale Bladderworts

Utricularia intermedia/stygia/ochroleuca

Native	GB	IR
2000–19	5	0
1987–99	37	1
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: July to September

Common Butterwort

Pinguicula vulgaris

Native	GB	IR
2000–19	1204	376
1987–99	1229	371
1970–86	816	77
1930–69	1225	300
pre-1930	346	84

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	2	0
pre-1930	0	0




In flower: May to July

Large-flowered Butterwort

Pinguicula grandiflora

Native	GB	IR
2000–19	0	69
1987–99	0	65
1970–86	0	10
1930–69	0	13
pre-1930	0	16

Alien	GB	IR
2000–19	5	2
1987–99	8	2
1970–86	7	2
1930–69	2	1
pre-1930	6	2




In flower: May to August

Pale Butterwort

Pinguicula lusitanica

Native	GB	IR
2000–19	404	256
1987–99	342	215
1970–86	188	40
1930–69	390	158
pre-1930	155	72




In flower: June to October

Rampion Bellflower

Campanula rapunculus

Alien	GB	IR
2000–19	15	1
1987–99	10	0
1970–86	16	0
1930–69	36	0
pre-1930	92	0




In flower: July to August

Cornish Bellflower

Campanula alliariifolia

Alien	GB	IR
2000–19	11	0
1987–99	8	0
1970–86	13	0
1930–69	18	0
pre-1930	6	0




In flower: June to September

Spreading Bellflower

Campanula patula

Native	GB	IR
2000–19	31	0
1987–99	37	0
1970–86	43	0
1930–69	51	0
pre-1930	104	0

Alien	GB	IR
2000–19	14	0
1987–99	6	0
1970–86	4	0
1930–69	6	0
pre-1930	30	0




In flower: July to September

Large Venus's-looking-glass

Legousia speculum-veneris

Alien	GB IR
2000–19	2 0
1987–99	1 0
1970–86	5 0
1930–69	5 0
pre-1930	8 0




In flower: May to August

Ivy-leaved Bellflower

Wahlenbergia hederacea

Native	GB	IR
2000–19	204	15
1987–99	206	13
1970–86	158	7
1930–69	191	15
pre-1930	136	27

Alien	GB	IR
2000–19	6	0
1987–99	3	0
1970–86	0	0
1930–69	4	2
pre-1930	3	2




In flower: July to August

Heath Lobelia

Lobelia urens

Native	GB IR
2000–19	7 0
1987–99	6 0
1970–86	9 0
1930–69	11 0
pre-1930	9 0

Alien	GB IR
2000–19	3 0
1987–99	2 0
1970–86	0 0
1930–69	2 0
pre-1930	2 0




In flower: June to October

Northern Bedstraw

Galium boreale

Native	GB	IR
2000–19	418	64
1987–99	403	58
1970–86	307	28
1930–69	415	37
pre-1930	127	47

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to August

Slender Marsh-bedstraw

Galium constrictum

Native	GB	IR
2000–19	7	0
1987–99	12	0
1970–86	13	0
1930–69	8	0
pre-1930	8	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to July

False Cleavers

Galium spurium

Alien	GB	IR
2000–19	10	1
1987–99	4	0
1970–86	6	0
1930–69	18	0
pre-1930	39	0




In flower: July to September

Corn Cleavers

Galium tricornutum

Alien	GB	IR
2000–19	2	0
1987–99	14	0
1970–86	22	0
1930–69	167	1
pre-1930	354	0




In flower: May to September

Wild Madder

Rubia peregrina

Native	GB	IR
2000–19	216	77
1987–99	213	68
1970–86	143	14
1930–69	172	33
pre-1930	80	26

Alien	GB	IR
2000–19	4	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to August

Twinflower

Linnaea borealis

Native	GB IR
2000–19	61 0
1987–99	44 0
1970–86	28 0
1930–69	39 0
pre-1930	76 0

Alien	GB IR
2000–19	2 0
1987–99	2 0
1970–86	3 0
1930–69	2 0
pre-1930	4 0




In flower: June to August

Fly Honeysuckle

Lonicera xylosteum

Alien	GB	IR
2000–19	178	7
1987–99	108	6
1970–86	75	3
1930–69	59	4
pre-1930	130	4




In flower: April to May

Broad-fruited Cornsalad

Valerianella rimosa

Alien	GB	IR
2000–19	● 16	4
1987–99	● 18	0
1970–86	● 30	2
1930–69	● 84	12
pre-1930	○ 161	23




In flower: June to August

Hairy-fruited Cornsalad

Valerianella eriocarpa

Native	GB IR
2000–19	9 0
1987–99	10 0
1970–86	4 0
1930–69	5 0
pre-1930	5 0

Alien	GB IR
2000–19	8 0
1987–99	8 0
1970–86	12 0
1930–69	23 0
pre-1930	42 0




In flower: April to July

Fuller's Teasel

Dipsacus sativus

Alien	GB	IR
2000–19	22	0
1987–99	17	1
1970–86	11	0
1930–69	18	0
pre-1930	31	1




In flower: July to August

Alpine Saw-wort

Saussurea alpina

Native	GB	IR
2000–19	173	12
1987–99	164	10
1970–86	116	8
1930–69	172	6
pre-1930	44	19




In flower: July to September

Tuberous Thistle

Cirsium tuberosum

Native	GB IR
2000–19	17 0
1987–99	18 0
1970–86	14 0
1930–69	8 0
pre-1930	7 0

Alien	GB IR
2000–19	2 0
1987–99	1 0
1970–86	1 0
1930–69	1 0
pre-1930	2 0




In flower: June to August

Melancholy Thistle

Cirsium heterophyllum

Native	GB	IR
2000–19	577	1
1987–99	536	1
1970–86	396	1
1930–69	550	1
pre-1930	182	0

Alien	GB	IR
2000–19	14	0
1987–99	16	2
1970–86	5	0
1930–69	10	0
pre-1930	5	0




In flower: July to August

Cabbage Thistle

Cirsium oleraceum

Alien	GB	IR
2000–19	●	9 2
1987–99	●	6 2
1970–86	●	8 1
1930–69	●	9 1
pre-1930	○	9 0




In flower: July to September

Rough Star-thistle

Centaurea aspera

Alien	GB	IR
2000–19	7	0
1987–99	9	0
1970–86	5	0
1930–69	9	0
pre-1930	8	0




In flower: July to September

Yellow Star-thistle

Centaurea solstitialis

Alien	GB	IR
2000–19	7	0
1987–99	7	0
1970–86	32	0
1930–69	95	0
pre-1930	190	1




In flower: July to September

Brown Knapweed

Centaurea jacea

Alien	GB	IR
2000–19	● 14	1
1987–99	● 12	0
1970–86	● 2	0
1930–69	● 11	0
pre-1930	○ 33	1




In flower: August to September

Viper's-grass

Scorzonera humilis

Native	GB	IR
2000–19	4	0
1987–99	3	0
1970–86	1	0
1930–69	1	0
pre-1930	3	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: May to July

Alpine Blue-sow-thistle

Cicerbita alpina

Native	GB	IR
2000–19	3	0
1987–99	4	0
1970–86	4	0
1930–69	4	0
pre-1930	3	0

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: July to September

Hairless Blue-sow-thistle

Cicerbita plumieri

Alien	GB	IR
2000–19	7	0
1987–99	8	0
1970–86	8	0
1930–69	8	0
pre-1930	8	2




In flower: June to September

Marsh Hawk's-beard

Crepis paludosa

Native	GB	IR
2000–19	1037	343
1987–99	989	262
1970–86	672	88
1930–69	912	161
pre-1930	174	78




In flower: July to September

Northern Hawk's-beard

Crepis mollis

Native	GB	IR
2000–19	30	0
1987–99	18	0
1970–86	27	0
1930–69	29	0
pre-1930	59	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	1
pre-1930	1	0




In flower: June to August

Leafless Hawk's-beard

Crepis praemorsa

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June

Narrow-leaved Hawk's-beard

Crepis tectorum

Alien	GB	IR
2000–19	6	0
1987–99	12	5
1970–86	14	0
1930–69	1	0
pre-1930	3	0




In flower: May to August

Shaggy Mouse-ear-hawkweed

Pilosella peleteriana

Native	GB	IR
2000–19	21	0
1987–99	18	0
1970–86	11	0
1930–69	14	0
pre-1930	14	0




In flower: May to July

Narrow-leaved Cudweed

Logfia gallica

Alien	GB	IR
2000–19	3	0
1987–99	6	0
1970–86	3	0
1930–69	9	0
pre-1930	20	0




In flower: July to September

Heath Cudweed

Omalotheca sylvatica

Native	GB	IR
2000–19	349	11
1987–99	336	17
1970–86	349	15
1930–69	687	30
pre-1930	435	128

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: July to September

Highland Cudweed

Omalotheca norvegica

Native	GB	IR
2000–19	6	0
1987–99	16	0
1970–86	8	0
1930–69	8	0
pre-1930	10	0




In flower: August

Dwarf Cudweed

Omalotheca supina

Native	GB	IR
2000–19	127	0
1987–99	127	0
1970–86	81	0
1930–69	148	0
pre-1930	38	0




In flower: July to August

Cape Cudweed

Pseudognaphalium undulatum

Alien	GB	IR
2000–19	20	0
1987–99	18	0
1970–86	10	0
1930–69	8	0
pre-1930	4	0




In flower: June to August

Irish Fleabane

Inula salicina

Native	GB IR
2000–19	0 1
1987–99	0 1
1970–86	0 1
1930–69	0 3
pre-1930	0 3

Alien	GB IR
2000–19	0 0
1987–99	0 1
1970–86	0 0
1930–69	0 1
pre-1930	0 1




In flower: July to August

Small Fleabane

Pulicaria vulgaris

Native	GB	IR
2000–19	7	0
1987–99	9	0
1970–86	8	0
1930–69	25	0
pre-1930	117	0

Alien	GB	IR
2000–19	0	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: August to September

Alpine Fleabane

Erigeron borealis

Native	GB	IR
2000–19	5	0
1987–99	6	0
1970–86	5	0
1930–69	6	0
pre-1930	8	0




In flower: July to August

Hairy Michaelmas-daisy

Symphyotrichum novae-angliae

Alien	GB	IR
2000–19	46	0
1987–99	48	1
1970–86	24	0
1930–69	30	0
pre-1930	13	0




In flower: September to October

Goldilocks Aster

Galatella linosyris

Native	GB	IR
2000–19	7	0
1987–99	7	0
1970–86	7	0
1930–69	7	0
pre-1930	5	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	2	0
pre-1930	4	0




In flower: August to October

Norwegian Mugwort

Artemisia norvegica

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	3	0
pre-1930	0	0




In flower: July to September

Hoary Mugwort

Artemisia stelleriana

Alien	GB	IR
2000–19	12	1
1987–99	15	0
1970–86	7	1
1930–69	6	0
pre-1930	7	1




In flower: July to September

Cottonweed

Achillea maritima

Native	GB IR
2000–19	0 1
1987–99	0 2
1970–86	0 1
1930–69	3 2
pre-1930	28 5

Alien	GB IR
2000–19	0 0
1987–99	0 1
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: August to October

Chamomile

Chamaemelum nobile

Native	GB	IR
2000–19	158	65
1987–99	150	60
1970–86	120	5
1930–69	218	57
pre-1930	193	58

Alien	GB	IR
2000–19	31	0
1987–99	21	0
1970–86	14	0
1930–69	27	1
pre-1930	56	3




In flower: June to July

Welsh Groundsel

Senecio camrensis

GB IR	
2000–19	● 7 0
1987–99	● 8 0
1970–86	● 8 0
1930–69	● 4 0
pre-1930	○ 1 0




In flower: May to October

White Butterbur

Petasites albus

Alien	GB	IR
2000–19	269	6
1987–99	222	6
1970–86	117	1
1930–69	200	3
pre-1930	67	4




In flower: March to May

Purple Colt's-foot

Homogyne alpina

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	1 0
1930–69	●	1 0
pre-1930	○	1 0

Alien	GB	IR
2000–19	●	0 0
1987–99	●	0 0
1970–86	●	0 0
1930–69	●	1 0
pre-1930	○	0 0




In flower: May to August

Floating Water-plantain

Luronium natans

Native	GB	IR
2000–19	52	3
1987–99	56	1
1970–86	38	0
1930–69	51	0
pre-1930	46	0

Alien	GB	IR
2000–19	7	0
1987–99	8	0
1970–86	6	0
1930–69	4	0
pre-1930	1	0




In flower: July to August

Ribbon-leaved Water-plantain

Alisma gramineum

Native	GB IR
2000–19	4 0
1987–99	2 0
1970–86	4 0
1930–69	3 0
pre-1930	0 0

Alien	GB IR
2000–19	0 0
1987–99	3 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: June to August

Starfruit

Damasonium alisma

Native	GB	IR
2000–19	2	0
1987–99	4	0
1970–86	3	0
1930–69	9	0
pre-1930	52	0

Alien	GB	IR
2000–19	4	0
1987–99	3	0
1970–86	0	0
1930–69	4	0
pre-1930	4	0




In flower: June to August

Esthwaite Waterweed

Hydrilla verticillata

Native	GB	IR
2000–19	1	2
1987–99	1	1
1970–86	0	1
1930–69	1	1
pre-1930	1	0




Rannoch-rush

Scheuchzeria palustris

Native	GB	IR
2000–19	8	0
1987–99	5	0
1970–86	4	0
1930–69	3	1
pre-1930	11	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to August

Loddon Pondweed

Potamogeton nodosus

Native	GB	IR
2000–19	16	0
1987–99	9	0
1970–86	11	0
1930–69	12	0
pre-1930	7	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to September

Various-leaved Pondweed

Potamogeton gramineus

Native	GB	IR
2000–19	219	132
1987–99	266	112
1970–86	217	55
1930–69	187	43
pre-1930	223	69




In flower: June to September

American Pondweed

Potamogeton epihydrus

Native	GB IR
2000–19	2 0
1987–99	3 0
1970–86	1 0
1930–69	2 0
pre-1930	0 0

Alien	GB IR
2000–19	4 0
1987–99	8 0
1970–86	4 0
1930–69	4 0
pre-1930	2 0




In flower: June to August

Shetland Pondweed

Potamogeton rutilus

Native	GB	IR
2000–19	14	0
1987–99	11	0
1970–86	8	0
1930–69	7	0
pre-1930	3	0




In flower: August

Slender-leaved Pondweed

Stuckenia filiformis

Native	GB	IR
2000–19	86	64
1987–99	104	50
1970–86	83	22
1930–69	68	21
pre-1930	70	16

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: May to August

Spiral Tasselweed

Ruppia spiralis

Native	GB	IR
2000–19	57	17
1987–99	57	11
1970–86	50	4
1930–69	53	6
pre-1930	74	15




In flower: June to September

Slender Naiad

Najas flexilis

Native	GB	IR
2000–19	20	36
1987–99	19	22
1970–86	14	21
1930–69	10	10
pre-1930	8	14

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: August to September

Rootless Duckweed

Wolffia arrhiza


GB IR		
2000–19	●	30 0
1987–99	●	27 0
1970–86	●	28 0
1930–69	●	26 0
pre-1930	○	18 0



Pipewort

Eriocaulon aquaticum

Native	GB IR
2000–19	8 57
1987–99	10 45
1970–86	9 17
1930–69	7 42
pre-1930	4 39




In flower: July to September

Three-leaved Rush

Juncus trifidus

Native	GB IR
2000–19	141 0
1987–99	138 0
1970–86	87 0
1930–69	141 0
pre-1930	31 0




In flower: June to August

Frog Rush

Juncus ranarius

Native	GB	IR
2000–19	240	63
1987–99	122	38
1970–86	70	13
1930–69	28	5
pre-1930	43	8

Alien	GB	IR
2000–19	4	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: April to September

Broad-leaved Rush

Juncus planifolius

Alien	GB	IR
2000–19	●	0 20
1987–99	●	0 3
1970–86	●	0 4
1930–69	●	0 0
pre-1930	●	0 0




In flower: July to August

Dwarf Rush

Juncus capitatus

Native	GB IR
2000–19	13 0
1987–99	16 0
1970–86	11 0
1930–69	11 0
pre-1930	14 0

Alien	GB IR
2000–19	0 0
1987–99	0 0
1970–86	0 0
1930–69	1 0
pre-1930	3 0




In flower: March to June

Alpine Rush

Juncus alpinoarticulatus

Native	GB IR
2000–19	33 0
1987–99	29 0
1970–86	34 0
1930–69	25 0
pre-1930	21 0




In flower: July to September

Pigmy Rush

Juncus pygmaeus

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	3 0
1930–69	4 0
pre-1930	3 0




In flower: May to June

Two-flowered Rush

Juncus biglumis

Native	GB	IR
2000–19	24	0
1987–99	18	0
1970–86	18	0
1930–69	21	0
pre-1930	16	0




In flower: June to July

Three-flowered Rush

Juncus triglumis

Native	GB	IR
2000–19	143	0
1987–99	140	0
1970–86	106	0
1930–69	144	0
pre-1930	42	0




In flower: June to July

Chestnut Rush

Juncus castaneus

Native	GB IR
2000–19	28 0
1987–99	18 0
1970–86	20 0
1930–69	27 0
pre-1930	23 0




In flower: June to July

Baltic Rush

Juncus balticus

Native	GB IR
2000–19	67 0
1987–99	59 0
1970–86	42 0
1930–69	61 0
pre-1930	41 0

Alien	GB IR
2000–19	1 0
1987–99	1 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: June to August

Thread Rush

Juncus filiformis

Native	GB	IR
2000–19	32	1
1987–99	22	0
1970–86	22	0
1930–69	8	0
pre-1930	5	0




In flower: June to September

Curved Wood-rush

Luzula arcuata

Native	GB	IR
2000–19	11	0
1987–99	10	0
1970–86	14	0
1930–69	15	0
pre-1930	12	0




In flower: June to July

Spiked Wood-rush

Luzula spicata

Native	GB	IR
2000–19	142	0
1987–99	134	0
1970–86	91	0
1930–69	156	0
pre-1930	47	0




In flower: June to July

Broad-leaved Cottongrass

Eriophorum latifolium

Native	GB	IR
2000–19	387	54
1987–99	331	61
1970–86	251	16
1930–69	254	34
pre-1930	180	26




In flower: May to June

Slender Cottongrass

Eriophorum gracile

Native	GB	IR
2000–19	7	13
1987–99	8	14
1970–86	6	9
1930–69	10	8
pre-1930	12	0




In flower: June

Hare's-tail Cottongrass

Eriophorum vaginatum

Native	GB	IR
2000–19	1386	567
1987–99	1305	471
1970–86	757	113
1930–69	1204	324
pre-1930	265	59

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	1	0




In flower: April to May

Northern Deergrass

Trichophorum cespitosum

Native	GB	IR
2000–19	47	21
1987–99	6	0
1970–86	1	0
1930–69	1	0
pre-1930	5	4




In flower: May to June

Northern Spike-rush

Eleocharis mamillata subsp. *austriaca*

Native	GB	IR
2000–19	13	0
1987–99	12	0
1970–86	11	0
1930–69	9	0
pre-1930	1	0




In flower: May to July

Dwarf Spike-rush

Eleocharis parvula

Native	GB	IR
2000–19	8	0
1987–99	8	2
1970–86	7	1
1930–69	9	4
pre-1930	12	3




In flower: August to September

Round-headed Club-rush

Scirpoides holoschoenus

Native	GB IR
2000–19	2 0
1987–99	2 0
1970–86	2 0
1930–69	2 0
pre-1930	4 0

Alien	GB IR
2000–19	9 0
1987–99	7 0
1970–86	3 0
1930–69	3 0
pre-1930	2 0




In flower: August to September

False Sedge

Carex simpliciuscula

Native	GB	IR
2000–19	19	0
1987–99	15	0
1970–86	14	0
1930–69	8	0
pre-1930	6	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

Triangular Club-rush

Schoenoplectus triquetus

Native	GB	IR
2000–19	1	4
1987–99	1	4
1970–86	1	2
1930–69	5	1
pre-1930	8	3

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: August to September

Saltmarsh Flat-sedge

Blysmus rufus

Native	GB	IR
2000–19	282	52
1987–99	208	38
1970–86	133	17
1930–69	226	38
pre-1930	148	42




In flower: June to July

Brown Galingale

Cyperus fuscus

Native	GB	IR
2000–19	8	0
1987–99	7	0
1970–86	5	0
1930–69	7	0
pre-1930	10	0

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: July to September

Brown Bog-rush

Schoenus ferrugineus

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	2 0
1930–69	2 0
pre-1930	2 0




In flower: June to July

Brown Beak-sedge

Rhynchospora fusca

Native	GB	IR
2000–19	30	40
1987–99	29	32
1970–86	26	18
1930–69	27	27
pre-1930	27	54




In flower: May to June

Large-fruited Prickly-sedge

Carex muricata subsp. *muricata*

Native	GB IR
2000–19	9 0
1987–99	6 0
1970–86	5 0
1930–69	1 0
pre-1930	4 0




In flower: May to June

String Sedge

Carex chordorrhiza

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	4 0
1930–69	1 0
pre-1930	1 0




In flower: July to July

Curved Sedge

Carex maritima

Native	GB	IR
2000–19	51	0
1987–99	25	0
1970–86	43	0
1930–69	48	0
pre-1930	55	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June

Dioecious Sedge

Carex dioica

Native	GB	IR
2000–19	901	141
1987–99	779	158
1970–86	560	56
1930–69	737	55
pre-1930	181	48




In flower: May

Hare's-foot Sedge

Carex lachenalii

Native	GB	IR
2000–19	6	0
1987–99	6	0
1970–86	5	0
1930–69	7	0
pre-1930	7	0




In flower: June to July

White Sedge

Carex canescens

Native	GB	IR
2000–19	917	136
1987–99	886	161
1970–86	652	66
1930–69	724	70
pre-1930	216	58




In flower: June to August

Russet Sedge

Carex saxatilis

Native	GB IR
2000–19	54 0
1987–99	43 0
1970–86	41 0
1930–69	50 0
pre-1930	29 0




In flower: July

Hair Sedge

Carex capillaris

Native	GB	IR
2000–19	90	0
1987–99	87	0
1970–86	79	0
1930–69	84	0
pre-1930	47	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	1	0
pre-1930	0	0




In flower: July

Sheathed Sedge

Carex vaginata

Native	GB	IR
2000–19	86	0
1987–99	55	0
1970–86	59	0
1930–69	49	0
pre-1930	29	0




In flower: July

Starved Wood-sedge

Carex depauperata

Native	GB IR
2000–19	2 1
1987–99	2 1
1970–86	2 1
1930–69	3 0
pre-1930	8 0

Alien	GB IR
2000–19	2 0
1987–99	0 0
1970–86	0 0
1930–69	0 0
pre-1930	1 0




In flower: June

Smooth-stalked Sedge

Carex laevigata

Native	GB	IR
2000–19	818	296
1987–99	739	225
1970–86	565	55
1930–69	621	91
pre-1930	215	65




In flower: July

Green-ribbed Sedge

Carex binervis

Native	GB	IR
2000–19	1799	648
1987–99	1678	556
1970–86	1022	87
1930–69	1527	361
pre-1930	284	104

Alien	GB	IR
2000–19	0	0
1987–99	0	1
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: July

Dotted Sedge

Carex punctata

Native	GB	IR
2000–19	54	25
1987–99	38	15
1970–86	37	25
1930–69	30	14
pre-1930	37	24




In flower: July to August

Large Yellow-sedge

Carex flava

Native	GB IR
2000–19	2 0
1987–99	1 0
1970–86	1 0
1930–69	2 0
pre-1930	2 0

Alien	GB IR
2000–19	1 0
1987–99	0 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: July

Pale Sedge

Carex pallescens

Native	GB	IR
2000–19	1212	132
1987–99	1135	97
1970–86	813	49
1930–69	1110	68
pre-1930	311	63




In flower: May to June

Fingered Sedge

Carex digitata

Native	GB IR
2000–19	26 0
1987–99	24 0
1970–86	25 0
1930–69	20 0
pre-1930	28 0

Alien	GB IR
2000–19	2 0
1987–99	1 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: April to May

Bird's-foot Sedge

Carex ornithopoda

Native	GB	IR
2000–19	13	0
1987–99	14	0
1970–86	12	0
1930–69	9	0
pre-1930	9	0




In flower: May

Downy-fruited Sedge

Carex filiformis

Native	GB	IR
2000–19	13	0
1987–99	12	0
1970–86	11	0
1930–69	11	0
pre-1930	13	0




In flower: May to June

Pill Sedge

Carex pilulifera

Native	GB	IR
2000–19	1971	462
1987–99	1780	353
1970–86	1099	75
1930–69	1563	137
pre-1930	272	81




In flower: May to June

Soft-leaved Sedge

Carex montana

Native	GB	IR
2000–19	36	0
1987–99	40	0
1970–86	35	0
1930–69	21	0
pre-1930	23	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: May

Scorched Alpine-sedge

Carex atrofusca

Native	GB	IR
2000–19	4	0
1987–99	4	0
1970–86	5	0
1930–69	5	0
pre-1930	4	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: July

Bog-sedge

Carex limosa

Native	GB	IR
2000–19	296	119
1987–99	272	140
1970–86	158	52
1930–69	218	61
pre-1930	129	73




In flower: May to June

Mountain Bog-sedge

Carex rariflora

Native	GB	IR
2000–19	14	0
1987–99	15	0
1970–86	15	0
1930–69	9	0
pre-1930	8	0




In flower: June

Tall Bog-sedge

Carex magellanica

Native	GB	IR
2000–19	76	7
1987–99	71	6
1970–86	70	4
1930–69	58	3
pre-1930	46	3




In flower: May to June

Black Alpine-sedge

Carex atrata

Native	GB	IR
2000–19	31	0
1987–99	36	0
1970–86	38	0
1930–69	35	0
pre-1930	26	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: June to July

Club Sedge

Carex buxbaumii

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	2	0
pre-1930	1	1




In flower: June to July

Close-headed Alpine-sedge

Carex norvegica

Native	GB IR
2000–19	5 0
1987–99	6 0
1970–86	5 0
1930–69	4 0
pre-1930	3 0

Alien	GB IR
2000–19	0 0
1987–99	0 0
1970–86	0 0
1930–69	1 0
pre-1930	0 0




In flower: June to July

Estuarine Sedge

Carex recta

Native	GB IR
2000–19	6 0
1987–99	4 0
1970–86	4 0
1930–69	3 0
pre-1930	2 0




In flower: July

Saltmarsh Sedge

Carex salina

Native	GB IR
2000–19	4 0
1987–99	0 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: June to July

Water Sedge

Carex aquatilis

Native	GB	IR
2000–19	179	28
1987–99	152	19
1970–86	133	9
1930–69	92	7
pre-1930	73	15




In flower: July

Stiff Sedge

Carex bigelowii

Native	GB	IR
2000–19	368	41
1987–99	309	19
1970–86	221	7
1930–69	283	19
pre-1930	62	32




In flower: June to July

Bristle Sedge

Carex microglochin

Native	GB IR
2000–19	1 0
1987–99	1 0
1970–86	1 0
1930–69	1 0
pre-1930	1 0




In flower: July to August

Few-flowered Sedge

Carex pauciflora

Native	GB	IR
2000–19	308	3
1987–99	250	3
1970–86	168	2
1930–69	268	3
pre-1930	55	3

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: May to June

Rock Sedge

Carex rupestris

Native	GB	IR
2000–19	25	0
1987–99	24	0
1970–86	28	0
1930–69	20	0
pre-1930	10	0




In flower: June to July

Cut-grass

Leersia oryzoides

Native	GB IR
2000–19	5 0
1987–99	5 0
1970–86	6 0
1930–69	10 0
pre-1930	17 0

Alien	GB IR
2000–19	2 0
1987–99	2 0
1970–86	1 0
1930–69	2 0
pre-1930	3 0




In flower: August to January

Early Millet

Milium vernale

Native	GB IR
2000–19	2 0
1987–99	2 0
1970–86	2 0
1930–69	1 0
pre-1930	1 0




In flower: April to May

Wood Fescue

Drymochloa sylvatica

Native	GB	IR
2000–19	127	87
1987–99	160	62
1970–86	137	35
1930–69	93	15
pre-1930	83	30

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: May to July

Viviparous Sheep's-fescue

Festuca vivipara

Native	GB	IR
2000–19	783	172
1987–99	738	153
1970–86	384	24
1930–69	609	107
pre-1930	55	22

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: May to July

Huon's Fescue

Festuca huonii

Native	GB	IR
2000–19	7	0
1987–99	6	0
1970–86	5	0
1930–69	2	0
pre-1930	0	0




In flower: June to August

Mat-grass Fescue

Vulpia unilateralis

Alien	GB	IR
2000–19	16	0
1987–99	17	0
1970–86	20	0
1930–69	24	0
pre-1930	8	0




In flower: May to July

Lesser Quaking-grass

Briza minor

Alien	GB	IR
2000–19	73	1
1987–99	52	0
1970–86	42	0
1930–69	40	0
pre-1930	79	0




In flower: March to September

Broad-leaved Meadow-grass

Poa chaixii

Alien	GB	IR
2000–19	98	1
1987–99	87	3
1970–86	77	1
1930–69	78	0
pre-1930	52	0




In flower: May to July

Wavy Meadow-grass

Poa flexuosa

Native	GB IR
2000–19	6 0
1987–99	6 0
1970–86	5 0
1930–69	4 0
pre-1930	2 0




In flower: July to August

Glaucous Meadow-grass

Poa glauca

Native	GB IR
2000–19	37 0
1987–99	35 0
1970–86	33 0
1930–69	45 0
pre-1930	26 0

Alien	GB IR
2000–19	0 0
1987–99	1 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: July to August

Alpine Meadow-grass

Poa alpina

Native	GB	IR
2000–19	40	3
1987–99	46	2
1970–86	41	1
1930–69	53	1
pre-1930	36	2




In flower: July to August

Slender Cock's-foot

Dactylis polygama

Alien	GB	IR
2000–19	3	0
1987–99	1	0
1970–86	3	0
1930–69	4	0
pre-1930	0	0




French Oat-grass

Gaudinia fragilis

Native	GB IR
2000–19	48 0
1987–99	46 0
1970–86	16 0
1930–69	6 0
pre-1930	8 0

Alien	GB IR
2000–19	7 4
1987–99	3 4
1970–86	4 0
1930–69	4 6
pre-1930	10 5




In flower: May to July

Bog Hair-grass

Aristavena setacea

Native	GB	IR
2000–19	71	7
1987–99	69	8
1970–86	39	7
1930–69	63	7
pre-1930	55	7

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to August

Holy-grass

Hierochloe odorata

Native	GB	IR
2000–19	22	0
1987–99	15	1
1970–86	14	1
1930–69	9	1
pre-1930	4	1




In flower: March to May

Canary-grass

Phalaris canariensis

Alien	GB	IR
2000–19	701	71
1987–99	655	41
1970–86	421	13
1930–69	700	11
pre-1930	240	11




In flower: June to September

Lesser Canary-grass

Phalaris minor

Alien	GB	IR
2000–19	43	59
1987–99	30	5
1970–86	20	0
1930–69	37	0
pre-1930	38	0




In flower: June to July

Awned Canary-grass

Phalaris paradoxa

Alien	GB	IR
2000–19	157	1
1987–99	66	0
1970–86	30	0
1930–69	33	0
pre-1930	50	1




In flower: June to August

Bristle Bent

Agrostis curtisii

Native	GB	IR
2000–19	173	0
1987–99	177	0
1970–86	135	0
1930–69	173	0
pre-1930	29	0




In flower: June to July

Scandinavian Small-reed

Calamagrostis purpurea

Native	GB IR
2000–19	9 2
1987–99	9 0
1970–86	7 0
1930–69	4 0
pre-1930	1 0




In flower: June to August

Narrow Small-reed

Calamagrostis stricta

Native	GB	IR
2000–19	15	1
1987–99	12	1
1970–86	15	4
1930–69	19	3
pre-1930	8	5




In flower: June to August

Scottish Small-reed

Calamagrostis scotica

Native	GB IR
2000–19	1 0
1987–99	1 0
1970–86	1 0
1930–69	0 0
pre-1930	1 0




In flower: June to August

Nit-grass

Gastridium ventricosum

Native	GB IR
2000–19	31 0
1987–99	33 0
1970–86	18 0
1930–69	39 0
pre-1930	137 0

Alien	GB IR
2000–19	1 0
1987–99	3 0
1970–86	1 0
1930–69	4 0
pre-1930	15 0




In flower: June to August

Loose Silky-bent

Apera spica-venti

Alien	GB	IR
2000–19	● 134	2
1987–99	● 155	1
1970–86	● 141	0
1930–69	● 142	0
pre-1930	○ 152	0




In flower: June to August

Bulbous Foxtail

Alopecurus bulbosus

Native	GB IR
2000–19	52 0
1987–99	59 0
1970–86	44 0
1930–69	44 0
pre-1930	65 0

Alien	GB IR
2000–19	0 0
1987–99	0 0
1970–86	1 0
1930–69	0 0
pre-1930	2 0




In flower: May to August

Orange Foxtail

Alopecurus aequalis

Native	GB	IR
2000–19	139	6
1987–99	158	5
1970–86	117	0
1930–69	150	0
pre-1930	126	0

Alien	GB	IR
2000–19	7	0
1987–99	8	0
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower: June to September

Alpine Foxtail

Alopecurus magellanicus

Native	GB IR
2000–19	26 0
1987–99	18 0
1970–86	21 0
1930–69	20 0
pre-1930	20 0

Alien	GB IR
2000–19	0 0
1987–99	0 0
1970–86	0 0
1930–69	1 0
pre-1930	1 0




In flower: July to August

Alpine Cat's-tail

Phleum alpinum

Native	GB	IR
2000–19	23	0
1987–99	17	0
1970–86	19	0
1930–69	20	0
pre-1930	18	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower: July to August

Slender Soft-brome

Bromus lepidus

Alien	GB	IR
2000–19	75	5
1987–99	179	8
1970–86	166	10
1930–69	645	50
pre-1930	226	18




In flower: May to July

Lesser Hairy-brome

Bromopsis benekenii

Native	GB IR
2000–19	40 0
1987–99	36 0
1970–86	26 0
1930–69	29 0
pre-1930	29 0

Alien	GB IR
2000–19	0 0
1987–99	0 0
1970–86	0 0
1930–69	0 0
pre-1930	1 0




In flower: June to August

Hungarian Brome

Bromopsis inermis

Alien	GB	IR
2000–19	191	3
1987–99	191	0
1970–86	111	0
1930–69	79	0
pre-1930	31	0




In flower: July to August

Ripgut Brome

Anisantha rigida

Alien	GB	IR
2000–19	70	2
1987–99	68	0
1970–86	39	0
1930–69	24	0
pre-1930	34	0




In flower: May to June

Foxtail Barley

Hordeum jubatum

Alien	GB	IR
2000–19	153	1
1987–99	211	3
1970–86	172	2
1930–69	94	1
pre-1930	33	2




In flower: May to August

Bermuda-grass

Cynodon dactylon

Alien	GB	IR
2000–19	59	0
1987–99	44	0
1970–86	33	0
1930–69	48	0
pre-1930	26	0




In flower: August to September

Smooth Finger-grass

Digitaria ischaemum

Alien	GB	IR
2000–19	23	1
1987–99	9	0
1970–86	8	0
1930–69	13	0
pre-1930	14	0




In flower: August to September

Hairy Finger-grass

Digitaria sanguinalis

Alien	GB	IR
2000–19	240	1
1987–99	82	0
1970–86	57	1
1930–69	44	0
pre-1930	37	0




In flower: August to January

Floating Bur-reed

Sparganium angustifolium

Native	GB	IR
2000–19	575	94
1987–99	557	141
1970–86	263	26
1930–69	260	37
pre-1930	103	73

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




In flower: August to September

Scottish Asphodel

Tofieldia pusilla

Native	GB IR
2000–19	121 0
1987–99	107 0
1970–86	109 0
1930–69	112 0
pre-1930	31 0

Alien	GB IR
2000–19	0 0
1987–99	0 0
1970–86	1 0
1930–69	0 0
pre-1930	0 0




In flower: June to August

Kerry Lily

Simethis mattiazzii

Alien	GB IR
2000–19	0 4
1987–99	0 4
1970–86	0 1
1930–69	0 2
pre-1930	2 2




In flower: May to July

Meadow Saffron

Colchicum autumnale

Native	GB IR
2000–19	137 2
1987–99	163 3
1970–86	130 1
1930–69	168 2
pre-1930	141 8

Alien	GB IR
2000–19	161 2
1987–99	79 0
1970–86	43 0
1930–69	40 0
pre-1930	31 1




In flower: August to October

Snowdon Lilly

Gagea serotina

Native	GB IR
2000–19	2 0
1987–99	2 0
1970–86	2 0
1930–69	2 0
pre-1930	2 0




In flower: June

Yellow Star-of-Bethlehem

Gagea lutea

Native	GB IR
2000–19	142 0
1987–99	121 0
1970–86	118 0
1930–69	100 0
pre-1930	124 0

Alien	GB IR
2000–19	3 1
1987–99	1 0
1970–86	2 0
1930–69	1 0
pre-1930	4 0




In flower: March to May

Early Star-of-Bethlehem

Gagea bohemica

Native	GB IR
2000–19	1 0
1987–99	1 0
1970–86	1 0
1930–69	1 0
pre-1930	1 0




In flower: January to March

Pyrenean Lily

Lilium pyrenaicum

Alien	GB	IR
2000–19	277	25
1987–99	177	2
1970–86	107	1
1930–69	73	0
pre-1930	35	0




In flower: May to July

May Lily

Maianthemum bifolium

Native	GB IR
2000–19	3 0
1987–99	3 0
1970–86	3 0
1930–69	4 0
pre-1930	4 0

Alien	GB IR
2000–19	6 1
1987–99	9 1
1970–86	9 0
1930–69	3 0
pre-1930	12 0




In flower: May to June

White Asphodel

Asphodelus albus

Alien	GB	IR
2000–19	●	4 0
1987–99	●	0 0
1970–86	●	1 0
1930–69	●	0 0
pre-1930	●	0 0




In flower: May to June

Whorled Solomon's-seal

Polygonatum verticillatum

Native	GB IR
2000–19	8 0
1987–99	8 0
1970–86	6 0
1930–69	5 0
pre-1930	9 0

Alien	GB IR
2000–19	2 0
1987–99	2 0
1970–86	1 0
1930–69	0 0
pre-1930	1 0




In flower: June to July

Autumn Squill

Scilla autumnalis

Native	GB IR
2000–19	46 0
1987–99	45 0
1970–86	39 0
1930–69	41 0
pre-1930	43 0




In flower: July to September

Field Garlic

Allium oleraceum

Native	GB	IR
2000–19	178	0
1987–99	158	0
1970–86	107	0
1930–69	151	0
pre-1930	177	0

Alien	GB	IR
2000–19	7	4
1987–99	6	7
1970–86	2	3
1930–69	1	2
pre-1930	7	6




In flower: July to August

Keeled Garlic

Allium carinatum

Alien	GB	IR
2000–19	124	12
1987–99	88	10
1970–86	61	8
1930–69	57	8
pre-1930	37	2




In flower: July to August

Wild Leek

Allium ampeloprasum

Alien	GB	IR
2000–19	105	77
1987–99	58	19
1970–86	40	11
1930–69	29	2
pre-1930	33	2




In flower: July to August

Spring Snowflake

Leucojum vernum

Alien	GB	IR
2000–19	133	0
1987–99	51	1
1970–86	39	1
1930–69	11	0
pre-1930	14	0




In flower: February to April

Tenby Daffodil

Narcissus obvallaris

Alien	GB	IR
2000–19	57	0
1987–99	50	0
1970–86	9	0
1930–69	9	0
pre-1930	8	0




In flower: February to April

Wild Asparagus

Asparagus prostratus

Native	GB	IR
2000–19	17	8
1987–99	17	5
1970–86	12	4
1930–69	13	6
pre-1930	17	4




In flower: July to September

Blue-eyed-grass

Sisyrinchium bermudiana

Native	GB	IR
2000–19	0	53
1987–99	0	35
1970–86	0	9
1930–69	0	10
pre-1930	0	8

Alien	GB	IR
2000–19	49	0
1987–99	21	1
1970–86	18	1
1930–69	47	1
pre-1930	31	1




In flower: June to July

Blue Iris

Iris spuria

Alien	GB IR
2000–19	14 0
1987–99	7 0
1970–86	3 0
1930–69	5 0
pre-1930	4 0




In flower: June to July

Sand Crocus

Romulea columnae

Native	GB IR
2000–19	15 0
1987–99	15 0
1970–86	5 0
1930–69	10 0
pre-1930	12 0




In flower: March to May

Wild Gladiolus

Gladiolus illyricus

Native	GB IR
2000–19	5 0
1987–99	6 0
1970–86	6 0
1930–69	6 0
pre-1930	4 0

Alien	GB IR
2000–19	0 0
1987–99	1 0
1970–86	0 0
1930–69	0 0
pre-1930	0 0




In flower: June to August

Ghost Orchid

Epipogium aphyllum

Native	GB IR
2000–19	1 0
1987–99	1 0
1970–86	4 0
1930–69	3 0
pre-1930	7 0



In flower: June to Septemb